

a

85A
9:
M...

Natural History Museum Library



000108579



ANIMALIA VERTEBRATA

Classis II. AVES.

	Patria	Num. in Catal.		Patria	Num. in Catal.
Ordo I. ACCIPITRES			(HYPOMORPHNUS. Cabanis.)		
Trib. I. Diurni.			rutilans. (Licht.)		
Fam. I. VULTURIDÆ			pteroles. (Tem.)		
(G. Vultur. Lin.)			AQUILA. Briss.		
GYPAETOS. Storr.			heliaca. Sav. juv.		
{ barbatus. (L.)			fulva. (Meyer)		
{ (var. occidentalis)			Bonellii. Viell.		
NEOPHRON. Savig.			nævia. (L.)		
perenopterus. L. m. f.			SPIZAETUS. Viell.		
CATHARTES. Illig.			ornatus. (Daud.)		
aura. (L.)			tyrannus. (Pr. Max.)		
SARCORAMPBUS. (Dumér.)			occipitalis. (Daud.)		
papa. (L.)			limnæus. (Horsf.)		
GYPS. Savig.			CIRCAETUS. Viell.		
fulvus. (L.)			gallicus. (L.)		
VULTUR. Lin.			PANDION. Savig.		
cinereus. L.			haliaetus. (L.)		
Fam. II. FALCONIDÆ			PONTOAETUS. Kaup.		
(G. Falco. Lin.)			blagrus. (Daud.)		
POLYBORUS. Viell.			leucogaster. (Gmel.)		
vulgaris. Viell.			HALIAETUS. Savig.		
BUTEO. Cuv.			albicilla. (L.)		
vulgaris. Bechst.			leucocephalus. (L.)		
borealis. Viell.			HALIASTUR. Selby		
(ARCHIBUTEO. Brehm.)			pondicerianus. (Gmel.)		
lagopus. (L.)			FALCO. Lin.		
			gyrfalco. L. (Schleg.)		
			biarmicus. Tem.		
			{ lanarius. L. (Schleg.)		
			{ (F. Feldeggii. Schleg. olim)		
			peregrinus. L. m. f.		

	Patria	Num. in Catal.		Patria	Num. in Catal.
(HYPOTRIORCHIS. Boie.)			Trib. II. <i>Nocturni</i> .		
aurantius. <i>Lath.</i> var.	Brasil. Guyan.	17	Fam. III. STRIGIDÆ		
chiquera. <i>Lath.</i>	Afr. Ind. orien.	6	(<i>G. Strix</i> . Lin.)		
subbuteo. <i>L.</i> m. f.	Europa	8	SURNIA. Dumér.		
æsalon. <i>L.</i> m. f.	Eur.sept.etmed.	7	funerea. (<i>Gmel.</i>)	Eur. sept. et or.	49
(ERYTHROPUS. Brehm.)			NYCTEA. Steph.		
vespertinus. (<i>Lin.</i>) m. f.	Eur. mer.	10	{ erminea. <i>Steph.</i>	Eur. et Am.sept.	41
(TINNUNCULUS. Viell.)			{ (<i>Strix nyctea</i> . <i>L.</i>)		
tinnunculus. <i>L.</i> m. f.	Europa	1	NOCTUA. Cuvier.		
cenchris. <i>Neum.</i>	Eur.or. As.occ.	11	(<i>Athene</i> . Boie.)		
sparverius. <i>L.</i> m. f.	Amer. mer.	9	castanoptera. (<i>Horsf.</i>)	Ind. orient.	44
PERNIS. Cuv.			torquata. (<i>Daud.</i>)	Brasil. Gujan.	45
apivorus. (<i>L.</i>) m. f.	Europa	2	fulva. (<i>Forst.</i>)	N. Seeland.	545
ELANUS. Savig.			ferruginea. (<i>Pr. Max.</i>)	Amer. mer.	52
melanopterus. (<i>Daud.</i>)	Eur.m.Afr.sept.	22	cunicularia. (<i>Molina</i>).	ibid.	593
NAUCLERUS. Vig.			Tengmalmi. (<i>Gmel.</i>)	Europ. sept.	47
furcatus. (<i>L.</i>)	Am.et Eur.sept.	24	passerina. (<i>L.</i>)	ibid.	48
MILVUS. Cuv.			{ veterum. <i>Licht.</i>	Europa	42
regalis. (<i>Briss.</i>)	Europa	35	{ (<i>Strix passerina</i> . <i>Tem.</i>)		
ater. (<i>Gmel.</i>)	Eur.m.Afr.sept.	29	SCOPS. Savig.		
ASTUR. Briss.			asio. (<i>L.</i>)	Am. sept.	216
palumbarius. (<i>L.</i>) m. ad; et juv.	Europa	32	choliba. (<i>Viell.</i>)	Amer. merid.	38
musicus. (<i>Daud.</i>)	Africa	5	{ zorca. (<i>Cetti.</i>)	Europa	53
polyzonus. <i>Rüpp.</i>	ibid.	3	{ (<i>Strix scops</i> . <i>L.</i>)		
Novæ Hollandiæ. (<i>Gm.</i>)	N. Holland.	734	leueotis. (<i>Tem.</i>)	Afr. austr.	46
ACCIPITER. Briss.			KETUPA. Less.		
nisus. (<i>L.</i>) m. f. et juv.	Europa	26	ceylonensis. (<i>Gmel.</i>)	Ceylan	739
velox. (<i>Wils.</i>)	Amer. sept.	25	BURRO. Sibb.		
magnirostris. (<i>Gmel.</i>)	Amer. mer.	740	maximus. <i>Sibb.</i>	Europa	215
australis. (<i>Less.</i>)	N. Holland.	684	lacteus? (<i>Tem.</i>)	Senegal?	39
CIRCUS. Lacép.			OTUS. Cuv.		
æuginosus. (<i>L.</i>) m. f. et juv.	Europa	21	vulgaris. <i>Flem.</i>	Europa	51
{ gallinarius. (<i>Savig.</i>) m. f.	ibid.	19	brachyotus. (<i>Gmel.</i>)	ibid.	907
{ (<i>Falco cyaneus</i> . <i>L.</i>)			longirostris. (<i>Spix.</i>)	Amer. mer.	50
{ Montagui. <i>Viell.</i> f.	ibid.	14	SYRNIUM. Savig.		
{ (<i>Falco cineraceus</i> . <i>Mont.</i>)			aluco. <i>L.</i>	Europa	54
cinereus. <i>Viell.</i>	Amer. mer.	675	{ cynereum. (<i>Gmel.</i>)	Eur. boreal.	55
pallidus. (<i>Sykes.</i>)	Eur. mer.	754	{ (<i>Strix lapponica</i> . <i>Retz.</i>)		
			nebulosum. (<i>Gmel.</i>)	Amer. sept.	43
			STRIX. Linn.		
			flammea. (<i>L.</i>)	Europa	56

	Patria	Num. in Catal.		Patria	Num. in Catal.
Ordo II. PASSERES			COTYLE. Boie.		
Trib. I. <i>Fissirostres</i> .			riparia (L.)	Europa	403
Fam. I. CAPRIMULGIDÆ			rupestris. (Scop.)	ibid.	62
(G. <i>Caprimulgus</i> . Lin.)			leucoptera. (Gmel.)	Amer. mer.	121
STEATORNIS. Humb.			CHELIDON. Boie.		
caripensis. Humb.	Perù	507	urbica. (L.)	Europa	908
PODARGUS. Cuv.			Fam. III. TODIDÆ		
javanicus. Horsf.	Java	741	(G. <i>Todus</i> , <i>Coracias</i> et <i>Ramphastos</i> part. Lin.)		
CAPRIMULGUS. Lin.			EURYSTOMUS. Viell.		
europæus. L.	Europa	71	violaceus. Viell.	Madagascar	78
semitorquatus. L.	Amer. mer.	511	orientalis. (Gmel.)	Ind. orient.	79
(HYDROPSALIS. Wagl.)			CORACIAS. Lin.		
psalurus. Tem.	Amer. mer.	60	abyssinica. Gmel.	Afr. mer.	454
Fam. II. HIRUNDINIDÆ			bengaleusis. Gmel.	Ind. or. Afr. m.	455
(G. <i>Hirundo</i> . Lin.)			cyanogastra. Viell.	Java	452
CYPSELUS. Illig.			garrula. L.	Eur. m. Afr. sept.	909
apus. (L.)	Europa	73	TODUS. Lin.		
melba. (L.)	Eur. mer.	74	viridis. L.	Amer. mer.	67
DENDROCHELIDON. Boie.			EURYLAIMUS. Horsf.		
mystaceus. (Less.)	N. Guinea	745	javanicus. Horsf.	Java	82
klecho. (Horsf.)	Java	61	(CYMBIRHYNCHUS. Vig.)		
ACANTHYLIS. Boie.			nasutus. (Lath.)	Ind. orient.	81
acuta. (Gmel.)	Amer. tropic.	887	MOMOTUS. Briss.		
collaris. (Pr. Max.)	ibid.	888	ruficapillus. Viell.	Amer. mer.	480
COLLOCALIA. G. R. Gray.			brasiliensis. (Lath.)	ibid.	910
esculenta. (L.)	Java	65	Fam. IV. TROGONIDÆ		
HIRUNDO. Lin.			(G. <i>Trogon</i> . Lin.)		
rustica. L.	Europa Africa	64	HARPACTES. Swains.		
cahirica. Licht.	Africa sept.	80	oreskios. (Tem.)	Ind. orient.	760
daurica. Pallas	Sibir. Afr. sept.	603	Reinwardtii. (Tem.)	ibid.	761
fasciata. L.	Amer. mer.	387	malabaricus. f. (Gould.)	ibid.	911
PROGNE. Boie.			TROGON. Mæhr.		
purpurea. L.	Amer. mer.	326	curucui. L.	Amer. mer.	913
chalibæa. Gmel.	ibid.	66	surrucura. Viell.	ibid.	916
			atricollis. Viell.	ibid.	917
			viridis. L.	ibid.	914

	Patria	Num. in Catal.		Patria	Num. in Catal.
CALURUS. Swains.			JACAMARALCYON. Le Vaill.		
pavoninus. (<i>Spix.</i>)	Amer. centr.	915	tridactyla. (<i>Viell.</i>)	Amer. mer.	85
resplendens. (<i>Gould</i>)	ibid.	583	GALBULA. Moerh.		
Fam. V. ALCEDINIDÆ			viridis. <i>Lath.</i>	Amer. mer.	93
(<i>G. Alcedo</i> et <i>Bucco</i> part. L.)			albirostris. <i>Le Vaill.</i>	ibid.	94
CAPITO. Viell.			paradiscea. <i>Lath.</i>	ibid.	86
macrorhynchus. (<i>Gm.</i>)	Amer. mer.	821	JACAMEROPS. Le Vaill.		
melanotis. <i>Tem.</i>	ibid.	822	grandis. (<i>Gm.</i>)	Amer. mer.	563
maculatus. (<i>L.</i>)	ibid.	820	Fam. VI. MEROPIDÆ		
MONASA. Viell.			(<i>G. Merops.</i> L.)		
tranquilla. (<i>Gm.</i>)	Amer. mer.	949	MEROPS. Lin.		
personata. <i>Viell.</i>	ibid.	950	apiaster. <i>L.</i>	Eur. mer. Af. sep.	68
tenebrosa. (<i>Pall.</i>)	ibid.	951	ægyptius. <i>Forst.</i>	ibid.	70
LYPORNIX. Wagl.			albicollis. <i>Le Vaill.</i>	Africa	59
torquatus (<i>Halp.</i>)	Brasil.	952	melanurus. <i>Horsf.</i>	Ins. Sond.	72
rubecula. (<i>Spix.</i>)	ibid.	953	Bullockii. <i>Le Vall.</i>	Afr. austr.	217
DACELO. Leach.			viridis. <i>L.</i>	ibid.	63
gigantea.	N. Holland.	1120	nubicus. <i>Cuv.</i>	Africa	69
HALCYON. Swains.			azuror. <i>Less.</i>	ibid.	1096
chlorocephalus. (<i>Gm.</i>)	Ins. Sond.	97	Trib. II. <i>Tenuirostres</i>		
omnicolor. (<i>Reinw.</i>)	ibid.	752	Fam. I. UPUPIDÆ		
senegalensis. (<i>L.</i>)	Afr. Austr.	98	(<i>G. Upupa.</i> L.)		
smyrnensis. (<i>L.</i>)	As. occid.	95	UPUPA. Lin.		
capensis. (<i>Gmel.</i>)	Afr. Austr.	90	epops. <i>L.</i>	Europa	947
Lindsayi. (<i>Vig.</i>)	Ind. Orient.	120	PROMEROPS. Briss.		
TANYSIPTERA. Vig.			erythrorhynchus. (<i>Lath.</i>)	Afr. austr.	946
Dea. (<i>L.</i>)	Moluc. N. Guin.	743	melanorhynchus. (<i>Wagl.</i>)	ibid.	958
GEYX. Lacép.			(<i>Rhinopomastus.</i> Smith.)		
Sonneratii.	Moluc. N. Guin.	119	cyanomelas. (<i>Viell.</i>)	ibid.	959
CERYLE. Boie.			Fam. II. CINNYRIDÆ		
rudis. (<i>L.</i>)	Afr. sept. As. occ.	83	(<i>G. Certhia.</i> part. L.)		
maxima. (<i>Lath.</i>)	Afr. austr.	948	DREPANIS. Tem.		
torquata. (<i>Gm.</i>)	Amer. mer.	84	vestiaria. (<i>Lath.</i>)	Insul. Sandwic.	941
aleyon. (<i>L.</i>)	ibid.	96			
cum var. (1)					
amazona. (<i>Lath.</i>)	ibid.	92			
ALCEDO. Lin.					
ispida. <i>L.</i>	Europa	91			
cristata. <i>L.</i>	Afr. mer.	87			
americana. <i>Gm.</i>	Amer. mer.	88			
cum var. (2)					
superciliosa. <i>Lath.</i>	ibid.	650			
bicolor. <i>Gm.</i>	ibid.	628			

	Patria	Num. in Catal.		Patria	Num. in Catal.
ARACHNOTHERA. Tem.			RAMPHODON. Less.		
longirostra. (<i>Lath.</i>)	Ind. Orient.	937	petasophorus. (<i>Pr. Max.</i>)	Brasilia	699
inornata. (<i>Tem.</i>)	ibid.	938	{ thalassinus. (<i>Swains.</i>) (<i>Ornismya Anais. Less.</i>)	N. Granata	700
CINNYRIS. Cuv.				LAMPORNIS. Swains.	
famosus. (<i>L.</i>)	Afr. austr.	927	pectoralis. (<i>Viell.</i>)	Antillæ	712
lepidus. (<i>Lath.</i>)	Java	926	gramineus. (<i>L.</i>)	ibid.	714
proteus. <i>Rüpp.</i>	Afr. austr.	929	granatinus. (<i>Lath.</i>)	ibid.	718
purpuratus. <i>Viell.</i>	Ind. orient.	930	viridissimus. (<i>Lath.</i>)	Cajenna	719
sola. <i>Viell.</i>	ibid.	928	punctatus. (<i>Viell.</i>)	ibid.	716
Kuhlii. <i>Tem.</i>	ibid.	789	mango. (<i>L.</i>)	ibid.	715
mystacalis. <i>Tem.</i>	ibid.	782	viridis. (<i>Viell.</i>)	ibid.	713
senegalensis. (<i>L.</i>)	Afr. austr.	934	hirsutus. (<i>L.</i>)	ibid.	720
pectoralis. <i>Viell. non</i>	ibid.	935	La Fresnayi. (<i>Less.</i>)	N. Granata	1100
<i>Tem.</i>	ibid.	936	Buffonii. (<i>Less.</i>)	ibid.	1101
{ violaceus. (<i>L.</i>) (<i>Certhia crocata. Shaw.</i>)	Afr. austr.	936	TOPAZA. G. R.		
			PELLA. (<i>L.</i>) m. f.	Cajenna	695
pulchellus. (<i>L.</i>)	ibid.	931	CALOTHORAX. C. R. Gray.		
platurus. (<i>Viell.</i>)	ibid.	932	lucifer. (<i>Swains.</i>)	Mexico	654
politus. (<i>Lath.</i>)	ibid.	933	amethystinus. (<i>L.</i>)	Brasilia	657
DICEUM. Cuv.			colubris. (<i>L.</i>)	Amer. sept.	658
sanguinolentum. <i>Tem.</i>	Insul. Sond.	780	GRYPUS. Spix.		
rubrocanum. <i>Tem.</i>	ibid.	942	nævius. (<i>Dum.</i>)	Brasilia	693
DACNIS. Cuv.			PHAETORNIS. Swains.		
cayanus. (<i>L.</i>) (3)	Amer. mer.	265	superciliosus. (<i>L.</i>)	Cajenna	690
cyanater. <i>Less.</i>	ibid.	555	rufigaster. (<i>Viell.</i>)	ibid.	691
cycnocephalus. (<i>Lath.</i>)	ibid.	262	brasiliensis. (<i>Lath.</i>)	Brasilia	689
analís. <i>D'Orb. et La Fr.</i>	Bolivia	266	eurynomus. (<i>Less.</i>)	ibid.	692
pitiayumi. (<i>Viell.</i>)	Paraguay	272	Bourcierii. (<i>Less.</i>)	Cajenna	1094
CERTHIOLA. Sundew.			anthophyllus. (<i>Bourc.</i>)	N. Granata	1095
flaveola. (<i>L.</i>)	Amer. mer.	940	PATAGONA. G. R. Gray.		
trochilea. (<i>Lath.</i>)	ibid.	939	gigas. (<i>Viell.</i>)	Chili	697
COEREBE. Briss.			Temminckii. (<i>Boiss.</i>) f.	N. Granata	698
cyanea. (<i>L.</i>)	Antill.	943	ensifera. (<i>Boiss.</i>) m. f.	ibid.	694
cærulea. (<i>L.</i>)	Cajenna	945	CYNANTHUS. Swains.		
spiza. (<i>L.</i>)	Brasil. Boliv.	944	Kingii. (<i>Less.</i>)	N. Granata	663
Fam. III. TROCHILIDÆ			Nuna. (<i>Less.</i>)	ibid.	661
(<i>G. Trochilus. L.</i>)			Sylvia. (<i>Less.</i>)	ibid.	656
CAMPILOPTERUS. Swains.					
latipennis. (<i>Lath.</i>)	Cajenna	696			

	Patria	Num. in Catal.		Patria	Num. in Catal.
SMARAGDITES. Boie.			Fam. IV. MELIPHAGIDÆ		
hirundinacea. (Less.)	Cajenna	724	(G. <i>Certhia</i> part. <i>Merops</i> part. L.)		
furcata. (Gmel.)	ibid.	726			
vestita. (Longuem.) m. f.	N. Granata	725	ACANTHORHYNCHUS. Gould.		
glaucopis. (Gmel.)	Brasilia	721	tenuirostris. (Lath.)	N. Holland.	925
Allardii. (Bourcier.) m. f.	N. Granata	722			
Clarisse. (Longuem.)	ibid.	723	MELIORNIS. G. R. Gray.		
heteropogon. (Boiss.)	N. Granata	1098	novæ Hollandiæ. (Lath.)	Austral.	956
helianthea. (Less.)	ibid.	1099	australasiana. (Shaw.)	ibid.	1009
prasina. (Less.)	ibid.	1102	melanoleuca. (Viell.)	ibid.	921
HELIACTIN. Boie.			PROSTHEMADERA. G. R. Gray.		
bilophus. (Tem.)	Brasilia	655	novæ Seelandiæ. (Gmel.)	N. Seeland.	922
Cora. (Less.)	Peru	659			
TROCHILUS. Lin.			PTILOTTIS. Gould.		
Amazili. (Less.)	Peru	703	flavescens. Gould.	N. Holland.	886
albicollis. Viell.	Buenosayres	710	flavigula. Gould.	ibid.	954
rubineus. L.	Brasilia	706			
mellivorus. L.	Cajenna	711	ANTHORNIS. G. R. Gray.		
nigrotis. (Less.)	ibid.	701	melanura. (Sparr.)	N. Seeland.	513
Rivoli. (Less.)	Mexico	707	sannio. (Gmel.)	ibid.	537
sephanioides. (Less.) m. f.	Chili	708			
microhynchus. Boiss. f.	N. Granata	709	PHYLLORNIS. Boie.		
moschitus. L.	Cajenna	704	cochinchinensis. (Gmel.)	Ind. orient.	766
obscurus. Viell.	ibid.	705	Mülleri. Tem.	Ins. Sond.	955
bicolor. (Less.)	Brasilia	728	virescens. Tem.	ibid.	825
saphirinus. L.	Cajenna	702	MELIPHAGA. Lewin.		
cyaneus. (Less.) var.	Brasilia	858	phrygia. (Lath.)	N. Holland.	919
albirostris. (Less.)	Guian.	1103	chrysoptera. (Lath.)	ibid.	957
Atala. (Less.)	Brasilia	1104			
Portmanni. Bourc.	N. Granata	1105	ANTHOCHOERA. Vig. et Horsf.		
paradisæus. (Less.)	?	1106	carunculata. (Lath.)	N. Holland.	920
viridigaster. Bourc.	N. Granata	1107			
Cobani. Bourc.	Mexico	1108	ENTOMYZA. Swains.		
Goudotii. Bourc.	N. Granata	1109	cucullata. Lath.	ibid.	398
columbicus. Bourc.	Columbia	1111	TROPIDORHYNCHUS. Vig. et Horsf.		
Riefferii. Bourc.	N. Granata	1110	citreogularis. Gould.	Austral.	570
cyanifrons. Bourc.	ibid.	1112	musicus. (Viell.)	ibid.	918
			(<i>Certhia carunculata. Gmel.</i>)		
ORTHORHYNCHUS. Cuv.			MELITHREPTUS. Viell.		
cristatus. (L.)	Antillæ	687	atricapillus. (Lath.)	N. Holland.	923
Delalandii. (Viell.)	Brasilia	688			
LOPHORNIS. Less.					
ornatus. Less.	Brasilia	1097			
magnificus. (Viell.)	Cajen. Jamaica	660			
(<i>Ornismya strumaria. Less.</i>)					
Viellotii. (Less.)	Brasilia	662			

	Patria	Nom. in Catal.		Patria	Nom. in Catal.
Fam. V. CETHIDÆ			XENOPS. Hoffm.		
(G. <i>Certhia</i> et <i>Sitta</i> , L.)			<i>rufosuperciliatus</i> , LaFres.	Amer. mer.	982
FURNARIUS Viell.			MOHOVA. Less.		
<i>rufus</i> , Viell.	Amer. mer.	550	<i>ochrocephala</i> , (Gm.)	N. Seeland.	516
<i>superciliaris</i> , Less.	Brasil.	981			
(LOCHMIAS. Swains.)			Trib. III. <i>Dentirostres</i> .		
<i>Hilairii</i> , Less.	Brasil.	539	Fam. I. SILVIADÆ		
SYNALLAXIS. Viell.			(G. <i>Motacilla</i> et <i>Parus</i> , Lin.)		
<i>ruficauda</i> , Viell.	Brasil.	263	ORTHOTOMUS. Horsf.		
<i>ruficapilla</i> , Viell.	ibid.	267	<i>sepium</i> , Horsf.	Java	775
ANABATES. Tem.			PRINIA. Horsf.		
<i>aradoides</i> , La Fresn.	Brasil.	620	<i>familiaris</i> , Horsf.	Java	258
<i>rufifrons</i> , Spix.	ibid.	621	DRYMOICA. Swains.		
<i>ruber</i> .	Bolivia	548	<i>cisticola</i> , (Tem.)	Eur. mer. Afr.	246
(Furnarius <i>ruber</i> , Viell.)			MELIZOPHILUS. Leach.		
DIGLOSSA. Wagl.			<i>provincialis</i> , (Gmel.)	Eur. mer. Afr.	221
<i>baritula</i> , Wagl.	Bolivia	978	MALURUS. Viell.		
La Fresnayi. (Boiss.)	N. Gran.	980	<i>cyaneus</i> , (Ellis.)	N. Holland.	260
<i>cyanea</i> , (La Fresn.)	ibid.	979	MEGALURUS. Horsf.		
<i>albilatera</i> , La Fresn.	Bolivia	1121	<i>palustris</i> , Horsf.	Java	271
DENDROCOLAPTES. Herm.			RHAMPHOCOENUS. Viell.		
<i>cayanensis</i> , (Gm.)	Guyan. Brasil.	611	<i>melanurus</i> , Viell.	Brasil.	256
<i>decumanus</i> , Spix.	ibid.	975	TROGLODYTES. Viell.		
<i>angustirostris</i> , Viell.	ibid.	535	<i>europæus</i> , Cuv.	Europa	277
<i>tenuirostris</i> , Spix.	ibid.	976	<i>furva</i> , Viell.	Amer. mer.	523
SITTASOMUS. Swains.			SALICARIA. Selby.		
<i>syliellus</i> , (Tem.)	Brasil.	977	<i>phragmitis</i> , (Bechst.)	Eur. mer.	247
CERTHIA. L.			<i>aquatica</i> , (Lath.)	ibid.	554
<i>familiaris</i> , L.	Europa	983	<i>melanopogon</i> , (Tem.)	ibid.	250
TICHODROMA. Illig.			<i>Cettii</i> , (La Marmora)	ibid.	243
<i>muraria</i> , (L.)	Europa	984	<i>locustella</i> , (Lath.)	Europa	254
SITTELLA. Swains.			<i>luscinioides</i> , (Savi)	Italia	241
<i>chrysoptera</i> , (Lath.)	N. Holland.	781	<i>palustris</i> , (Bechst.)	Eur. mer.	604
SITTA. L.			<i>arundinacea</i> , (Lath.)	ibid.	551
<i>Europæa</i> , L.	Europa	985	<i>turdoides</i> , (Meyer.)	ibid.	242
<i>melanocephala</i> , Viell.	Amer. septent.	986	? <i>chivi</i> , (Viell.)	Amer. mer.	252
<i>syriaca</i> , Ehrhm.	As. occ. Eur. m.	637			
<i>velata</i> , Tem.	Java	826			

	Patria	Num. in Catal.		Patria	Num. in Catal.
(HIPPOLAIS. Brehm.)			SIALIA. Swains.		
hippolaïs. <i>L.</i>	Europa	259	Wilsonii. <i>Swains.</i>	Amer. sept.	226
italica. <i>De Fil.</i> (4)	Eur. mer. Italia	1122	SAXICOLA. Bechst.		
SYLVIA. Lath.			ænanthe. (<i>L.</i>) m. f.	Eur. As. occ. Af. s.	294
nisoria. <i>Bechst.</i>	Eur. orient.	598	stapazina. (<i>L.</i>)	Eur. mer. Af. s.	297
hortensis. <i>Gmel.</i>	Europa	222	leucomela. (<i>Pall.</i>)	Rossia mer.	607
atricapilla. <i>L.</i> m. f.	ibid.	223	Jardinii. <i>Vig. et Horsf.</i>	N. Hollandia	552
orhœa. <i>Tem.</i>	Eur. mer.	224	aurita. <i>Tem.</i>	Eur. mer. Af. s.	298
curruca. <i>Lath.</i>	Europa	245	cachinnans. <i>Tem.</i>	Eur. mer. Af. s.	269
subalpina. <i>Bon.</i>	Eur. mer.	596	isabellina. <i>Rüpp.</i>	Nub. Abyssin.	293
melanocephala. (<i>Gmel.</i>)	ibid.	239	(CAMPICOLA. Swains.)		
cinerea. <i>Lath.</i>	Europa	240	pileata. (<i>Gmel.</i>)	Afr. austr.	275
conspicillata. <i>LaMarmorata</i>	Eur. mer.	244	(PRATINCOLA. Koch.)		
(LUSCICOLA. Keys. et Blas.)			rubetra. (<i>L.</i>)	Europa	292
lusciniæ. (<i>Lin.</i>)	Europa	253	rubicola. (<i>L.</i>)	Europa Africa	291
philomela. <i>Bechst.</i>	Eur. orient.	625	LICHENOPS. Comm.		
rubecula. (<i>Lin.</i>)	Europa	987	perspicillata. (<i>Gmel.</i>)	Amer. mer.	273
PHYLLOSCOPUS. Boie.			THAMNOBIA. Swains.		
trochilus. (<i>L.</i>)	Eur. Afr. sept.	248	fulcata. (<i>L.</i>)	Insul. philip.	274
Bonellii. (<i>Viell.</i>)	Eur. mer.	249	Rüppellii. <i>De Fil.</i>	Afr. austr.	196
silvicola. (<i>Lath.</i>)	Europa	261	(Saxicola alboscapulata. <i>Rüpp.</i>)		
rufus. (<i>Lath.</i>)	ibid.	255	HYLOPHILUS. Tem.		
REGULUS. Cuv.			flaviventris. (<i>Kuhl.</i>)	Insul. Sond.	818
{ vulgaris. <i>Steph.</i>	Europa	231	ACCENTOR. Bechst.		
(Motacilla regulus. <i>L.</i>)			alpinus. (<i>Gmel.</i>)	Alp. Europæ	230
ignicapillus. (<i>Brhm.</i>)	ibid.	988	modularis. (<i>L.</i>)	Europa	229
(CYANOTIS. Swains.)			TRICHAS. Swains.		
omnicolor. (<i>Viell.</i>)	Amer. mer.	257	marylandica. (<i>Briss.</i>)	Amer. sept.	290
PHOENICURA. Swains.			velata. (<i>Viell.</i>)	Amer. mer.	288
{ ruticilla.	Eur. Afr. sept.	227	JORA. Horsf.		
(Mot. phœnicura. <i>L.</i>)			scapularis. <i>Horsf.</i>	Java	989
thitys. (<i>Scop.</i>)	ibid.	228	ceylonica. (<i>Gmel.</i>)	Ceylan	524
erythrogastra. (<i>Göldenst.</i>)	As. occid.	553	CALAMOPHILUS. Leach.		
PANDICILLA. Blyth.			biarmicus. (<i>L.</i>)	Europa	286
(Cyanecula. <i>Briss.</i>)			ÆGITHALUS. Vig.		
suecica. <i>L.</i>	Europa	225	pendulinus. (<i>L.</i>)	Europa orient.	285
cærulecula. (<i>Pall.</i>)	Eur. orient. Asia.	601			
{ familiaris. (5)	Eur. orient. mer.	600			
(Sylvia familiaris. <i>Ménétr.</i>)					

	Patria	Num. in Catal.		Patria	Num. in Catal.
PARUS. L.			ANTHUS. Bechst.		
major. <i>L.</i>	Europa	295	aquaticus. <i>Bechst.</i>	Eur. temp. et m.	236
cæruleus. <i>L.</i>	ibid.	994	{ rupestris. <i>Nilss.</i>	Eur. sept.	233
lugubris. <i>Natter.</i>	Eur. mer.	609	(<i>A. littoralis. Brehm.</i>)		
bicolor. <i>L.</i>	Amer. bor.	608	rufogularis. <i>Brehm</i>	Eur. mer.	385
ater. <i>L.</i>	Europa	296	campestris. <i>Bechst.</i>	Eur. med. et m.	235
palustris. <i>L.</i>	ibid.	283	pratensis. (<i>L.</i>)	Europa	238
cristatus. <i>L.</i>	ibid.	284	arboreus. <i>Bechst.</i>	ibid.	237
			australis. <i>Viell.</i>	N. Seeland.	491
ORITES. Mehr.			rufulus. <i>Viell.</i>	Ind. orient.	234
caudatus. (<i>L.</i>)	Europa	995	(<i>CORYDALLA. Vig.</i>)		
TYRANNULUS. Viell.			Richardii. <i>Viell.</i>	Eur. As. occ.	232
elatus. (<i>Lath.</i>)	Amer. mer.	623			
PSALTRIA. Tem.			Fam. II. TURDIDÆ		
exilis. <i>Tem.</i>	Insul. Sond.	762	(<i>G. Turdus et Oriolus. L.</i>)		
SYLVICOLA. Swains.			DASYCEPHALA. Swains.		
coronata. (<i>L.</i>)	Amer. sept.	520	cinerea. (<i>Gmel.</i>)	Amer. mer.	108
{ martinicana. (<i>Briss.</i>)	Amer. mer.	287	PITHYS. Viell.		
(<i>Sylvia ruficapilla. Lath. non Viell.</i>)			albifrons. (<i>L.</i>)	ibid.	313
HELINAIA. Audub.			FORMICIVORA. Swains.		
vernivora. (<i>Lath.</i>)	Amer. mer.	996	rufa. <i>Ménétr.</i>	Brasilia	173
ZOSTEROPS. Vig. et Horsf.			Génei. <i>De Fil. (6)</i>	ibid.?	998
palpebrosa. (<i>Tem.</i>)	Insul. Sond.	763	leucopus. (<i>Swains.</i>)	ibid.	168
MOTACILLA. L.			variegata. <i>Licht.</i>	ibid.	171
boarula. (<i>L.</i>)	Eur. med. et m.		striolata. (<i>Ménétr.</i>)	ibid.	651
	Afr. sept.	279	striata. (<i>Spix</i>)	ibid.	170
{ alba. <i>L.</i>	Europa	278	DRYMOPHILA. Swains.		
hab. vern. et hyem.			trifasciata. <i>Swains.</i>	Brasilia	169
BUDYTES. Cuv.			cirrhatta. (<i>Lath.</i>)	ibid.	172
{ flava. (<i>L.</i>)	Europa		FORMICARIUS. Bodd.		
var. cinereocapilla.	Italia	280	cayanensis. <i>Bodd.</i>	Amer. mer.	595
var. melanocephala.	Dalm. Afr. sept.		GRALLARIA. Viell.		
flaveola. <i>Gould</i>	Anglia	281	ruficapilla. <i>La Fresn.</i>	Bolivia	180
ENICURUS. Tem.			marginata. (<i>Pr. Max.</i>)	Brasilia	175
Leschenaultii. (<i>Viell.</i>)	Insul. Sond.	756	PITTA. Viell.		
velatus. <i>Tem.</i>	ibid.	757	glaucina. <i>Tem.</i>	Ind. orient.	185
NOTODELA. Less.			erythrogastra? <i>Tem.</i>	ibid.	181
Diana. <i>Less.</i>	Ind. orient.	764	MYIOPHONEUS. Tem.		
			flavirostris. <i>Horsf.</i>	Insul. Sond.	786

	Patria	Num. in Catal.		Patria	Num. in Catal.
CINCLUS. Bechst.			GARRULAX. Less.		
aquaticus. <i>Bechst.</i>	Europa	174	perspicillatus. (<i>Gmel.</i>)	Ind. orient.	206
PETROCINCLA. Vig.			vittatus. <i>De Fil.</i> (8)	ibid. ?	993
saxatilis. (<i>L.</i>)	Eur. mer.	1000	TIMALIA. Horsf.		
rupestris. (<i>Le Vaill.</i>)	Afr. austr.	194	pileata. <i>Horsf.</i>	Java	992
cyanea. (<i>L.</i>)	Eur. mer.	202	thoracica. <i>Tem.</i>	ibid.	772
manillensis? (<i>Lath.</i>)	Insul. Sond.	770	? lepidocephala. <i>Boie</i>	ibid.	774
BESSONORNIS. Smith			POMATORHINUS. Horsf.		
{ pectoralis.	Afr. austr.	264	montanus. <i>Horsf.</i>	Java	1001
(<i>Turdus phænicurus. Auct.</i>)					
(<i>Motacilla pectoralis. Shaw.</i>)					
TURDUS. L.			TURNAGRA. Less.		
a. TURDI GENUINI.			crassirostris. <i>Lath.</i>	N. Seeland.	519
musicus. <i>L.</i>	Europa	1002	ORIOULUS. Lin.		
iliacus. <i>L.</i>	ibid.	207	galbula. <i>L.</i>	Europa	189
solitarius. <i>Hills.</i>	Amer. sept.	617	auratus. <i>Viell.</i>	Afr. austr.	191
atroregularis. <i>Glog. juv.</i>	Asia occ. Eur.	614	viridis. <i>Viell.</i>	N. Holland.	190
migratorius. <i>L.</i>	Amer. sept. Eur.	195	chinensis. <i>Gmel.</i>	Ind. orient.	186
viscivorus. <i>L.</i>	Europa	1003	coronatus. <i>Swains?</i>	?	999
pilaris. <i>L.</i>	ibid.	1004	larvatus. <i>Licht.</i>	Afr. austr.	187
{ olivaceus. <i>Lath.</i> (7)	Afr. austr.	211	xanthonotus. <i>Horsf.</i>	Java	188
(<i>non d' Orb. et La Fresn.</i>)					
citrinus. <i>Tem.</i>	Java	197	ANALCIPUS. Swains.		
chochi. <i>Viell.</i>	Amer. mer.	540	sanguinolentus. (<i>Tem.</i>)	Insul. Sond.	784
albicollis. <i>Viell.</i>	ibid.	205	SERICULUS. Swains.		
gujanensis. <i>L.</i>	ibid.	192	chrysocephalus. (<i>Lewin</i>)	N. Holland.	997
plumbeus. <i>L.</i>	Amer. sept.	1037	MICROSCELIS. G. R. Gray		
albiventer. <i>Spix</i>	Amer. mer.	209	amaurotis. (<i>Tem.</i>)	Japon.	199
fumigatus. <i>Horsf.</i>	Java	785	ochrocephalus. (<i>L.</i>)	Insul. Sond.	201
b. MERULAE.			COPSYCHUS. Wagl.		
merula. <i>L.</i>	Europa	1005	sularis. (<i>L.</i>)	Ind. orient.	204
torquatus. <i>L.</i>	ibid.	200	macrourus. (<i>L.</i>)	ibid.	198
fuscoater. <i>D' Orb. et La Fresn.</i>	Amer. mer.	1038	IXOS. Tem.		
ORPHAÆUS. Swains.			obscurus. <i>Tem.</i>	Hispan. Afr. occ.	183
calandria. <i>D' Orb. et La Fresn.</i>	Amer. sept.	193	cafer. (<i>L.</i>)	Afr. austr.	179
carolinensis. (<i>L.</i>)	ibid.	515	crocorrhous. <i>Strickl.</i>	ibid.	584
rufus. (<i>L.</i>)	ibid.	626	chrysorrhæus. <i>Tem.</i>	Ind. orient.	783
DONACOBUS. Swains.			jocosus. (<i>L.</i>)	ibid.	483
vociferans. <i>Swains.</i>	Amer. mer.	208	bimaculatus. (<i>Less.</i>)	ibid.	178
CRATEROPUS. Swains.			occipitalis. <i>Tem.</i>	ibid.	991
leucocephalus. (<i>Rüpp.</i>)	Africa	184	atriceps. <i>Tem.</i>	ibid.	787
griseiceps. (<i>Deless.</i>)	Ind. orient.	182	dispar. <i>Tem.</i>	ibid.	770
{ Rüppellii.	Arabia	270			
(<i>Argya Rüppellii. Less.</i>)					
(<i>Malurus squamiceps. Rüpp.</i>)					

	Patria	Num. in Catal.		Patria	Num. in Catal.
TRICHOPIHORUS. Tem.			PLATYSTERA. Jard. et Selb.		
<i>gularis.</i> Swains.	Insul. Sond.	773	<i>collaris.</i> Desm.	Afr. austr.	276
MUSCICAPIDÆ			PLATYRHYNCHUS. Desm.		
(<i>G. Muscicapa.</i> L.)			<i>cancromus.</i> Tem.	Brasil. Guyan.	753
TAENIOPTERA. Bonap.			CONOPOPHAGA. Viell.		
<i>nengeta.</i> (L.)	Amer. mer.	117	<i>leucotis.</i> Gmel.	Brasilia	177
ARUNDINICOLA. D'Orb. et La Fres.			<i>nigrogenys.</i> Less.	ibid.	176
(<i>G. R. Gray</i>)			MUSCIVORA. Cuv.		
{ <i>leucocephala.</i> (Pall.)	Amer. mer.	135	<i>regia.</i> Gmel.	Brasilia	100
(<i>Muscicapa dominicana.</i> Spix)			TCHITREA. Less.		
{ <i>albogrisea.</i>	ibid.	107	<i>paradisii.</i> (L.)	Afr. austr.	101
(<i>Musc. dominicana.</i> Licht)			MONARCHA. Vig. et Horsf.		
(<i>Tyrannus albogriseus.</i> Less.)			{ <i>velata.</i>	Insul. Sond.	103
SCAPHORHYNCHUS. Pr. Max.			(<i>Drymophila velata.</i> Tem.)		
<i>pitangua.</i> (L.)	Brasilia	1008	RHIPIDURA. Vig. et Horsf.		
TYRANNUS. Cuv.			<i>javanica.</i> Kuhl	Java	819
<i>sulphuratus.</i> (L.)	Amer. mer.	109	<i>philippensis.</i> (L.)	Philippinæ Ins.	104
<i>melancholicus.</i> Viell.	ibid.	116	COPURUS. Strickl.		
<i>vociferans.</i> Swains.	ibid.	163	<i>leucocilla.</i> (Hahn) (10)	Amer. mer.	102
<i>ferox.</i> Viell.	ibid.	164	MUSCICAPA. Lin.		
<i>rixosus.</i> Viell.	ibid.	113	<i>grisola.</i> L.	Europa	220
<i>olivaceus.</i> (Tem.)	ibid.	123	<i>atricapilla.</i> L.	ibid.	134
<i>audax.</i> Viell.	ibid.	115	<i>albicollis.</i> Tem.	Eur. mer. et med.	1006
MILVULUS. Swains.			<i>parva.</i> Bechst.	Eur. mer. As. oc.	130
<i>savanus.</i> (Viell.)	Amer. mer.	114	<i>galeata.</i> Spix	Amer. mer.	132
MYIOBIUS. G. R. Gray			<i>nigerrima.</i> Spix	ibid.	131
<i>xanthopygius.</i> (Spix)	Brasilia	124	{ <i>genibarbis.</i>	ibid.	594
MYIARCHUS. Cabanis			(<i>Myiadestes genibarbis.</i> Swains.)		
<i>ferrugineus.</i> (L.)	Amer. mer.	627	<i>hirundinacea.</i> Horsf.	Java	129
<i>cinereus.</i> (Spix)	ibid.	122	<i>cantatrix.</i> f. Tem.	ibid.	133
PYROCEPHALUS. Gould			SETOPHAGA. Swains.		
<i>coronatus.</i> (Gmel.)	Amer. mer.	106	<i>ruticilla.</i> (L.)	Amer. sept.	322
TITYRA. Viell.			<i>canadensis.</i> (L.)	ibid.	472
<i>cayana.</i> (L.)	Brasil. Guyan.	127	<i>verticalis.</i> D'Orb. et LaFr.	Bolivia	1123
<i>rufa.</i> Viell.	ibid.	110	ELÆNIA. Sundew.		
PACHYRAMPHUS. G. R. Gray			<i>eximia.</i> (Tem.)	Brasilia	633
<i>marginatus.</i> (Licht.)	Bolivia	111			
<i>dimidiatus.</i> De Fil. (9)	ibid ?	990			

	Patria	Num. in Catal.		Patria	Num. in Catal.
VIREO. Viell.			TERSINA. Viell.		
noveboracensis. (Gmel.) var.	Amer. sept.	635	ventralis. Illig.	Brasilia	315
Fam. IV. AMPELIDÆ			RUPICOLA. Briss.		
(<i>G. Ampelis, Lanius</i> part. etc.)			aurantia. Viell.	Cajenna	307
PTERUTHIUS. Swains.			peruviana. Dumont	Perù	510
flaviscapis. Tem.	Ind. orient.	749	CALYPTOMENA. Raffl.		
PACHYCEPHALA. Swains.			viridis. Raffl.	Java et Sumatra	308
gutturalis. Lath.	Ind. orient.	1010	EUCHLORNIS. De Fil. (12)		
PTILOCHLORIS. Swains.			{ Riefferii.	Columbia	1011
arcuatus. Cuv.	Brasilia	547	(Ampelis Riefferii. Boiss.)		
PARDALOTUS. Viell.			PROCNIAS. Hoffm.		
punctatus. Lath.	N. Holland.	1022	variegatus. (Gmel.)	Brasilia	321
pipra. Less.	Ind. orient.	1021	nudicollis. (Tem.)	ibid.	320
CALYPTURA. Swains.			COTINGA. Briss.		
cristata. Viell.	Amer. mer.	327	cœrulea. Viell.	Cajenn. Brasil.	314
PIPPRA. Lin.			cayana. (L.)	ibid.	319
aureola. L.	Amer. mer.	305	pompadora. (L.)	ibid.	317
gutturalis. L.	ibid.	389	PTILOGONYS. Swains.		
manacus. L.	ibid.	306	cinereus. Swains.	Amer. sept.	311
pareola. Gmel.	ibid.	300	PERICROCOTUS. Boie		
serena. L.	ibid.	424	miniatus. (Tem.)	Ind. orient.	768
erythrocephala. Gmel.	ibid.	303	flammeus. (Forst.)	ibid.	769
rubricapilla. Tem.	ibid.	304	CEBLEPYRIS. Cuv.		
rubrifrons. Viell.	ibid.	634	tricolor. Swains.	N. Holland.	538
strigillata. Tem.	ibid.	299	lugubris. Sundew.	Ind. orient.	167
Wiedii. Less.	ibid.	536	luctuosus. De Fil. (13)	?	219
caudata. Lath.	ibid.	301	GRAUCALUS. Cuv.		
PHOENICERCUS. Swains.			papuensis. (Gmel.)	N. Holland.	166
carnifex. (L.)	Cajenna	312	novæ Guineæ. (Gmel.)	ibid.	165
PHIBALURA. Viell.			torquatus. De Fil. (14)	?	218
flavirostris. Full.	Brasilia	309	LIPANGUS. Boie.		
AMPELIS. Lin.			plumbeus. Licht.	Amer. mer.	669
garrulus. L.	Asia sept. Eur.	310	QUERULA. Viell.		
HELIOCHERA. De Fil. (11)			rubricollis. (Gmel.)	ibid.	318
{ rubrocristata.	Brasilia	671	scutata. (Lath.)	ibid.	316
(Ampelis rubrocristata.			GYMNOCEPHALUS. Geoffr.		
D' Orb. et La Fr.)			calvus. Gmel.	Gujana	308

	Patria	Num. in Catal.		Patria	Num. in Catal.
ARTAMUS. Viell.			TELEPHORUS. Swains.		
leucorhynchus. <i>Viell.</i>	Luçon. N. Caled.	546	baebakiri. (<i>Shaw</i>)	Afr. austr.	154
fuscus. <i>Viell.</i>	Ind. orient.	126	erythropterus. (<i>Shaw</i>)	Afr. Eur. mer.	156
albivittatus. <i>Cuv.</i>	N. Holland.	125	(<i>NILAÜS. Swains.</i>)		
DICRURUS. Viell.			brubru. <i>Lath.</i>	Afr. austr.	146
musicus. <i>Viell.</i>	Afr. austr.	136	PRIONOPS. Viell.		
cærulescens. (<i>L.</i>)	Ind. orient.	139	plumatus. (<i>Shaw</i>)	Africa	151
leucophæus. <i>Viell.</i>	ibid.	973	THAMNOPHILUS. Viell.		
macroceros. <i>Viell.</i>	ibid.	974	doliatus. (<i>L.</i>)	Brasilia	158
paradiseus. (<i>L.</i>) •	ibid.	137	undulatus. <i>Mikan</i>	ibid.	157
remifer. <i>Tem.</i>	ibid.	138	palliatu. (<i>Licht.</i>)	ibid.	160
IRENA. Horsf.			severus. (<i>Licht.</i>)	ibid.	162
puella. (<i>Lath.</i>)	Insul. Sond.	140	stagurus. (<i>Licht.</i>)	ibid.	323
Fam. V. LANIDÆ			luctuosus. (<i>Licht.</i>)	ibid.	161
(<i>G. Lanius. L.</i>)			rutilus. <i>Viell.</i>	ibid.	613
CORVINELLA. Less.			strictothorax. (<i>Tem.</i>)	ibid.	159
corvina. <i>Shaw</i>	Afr. austr.	144	Janii. <i>De Fil.</i> (17)	ibid. ?	1029
LANIUS. Lin.			LANIARIUS. Viell.		
{ excubitor. <i>L.</i> (15)	Europa	141	barbarus. (<i>L.</i>)	Afr. austr.	153
et var.			{ id. — juv. ?	. . .	152
meridionalis. <i>Tem.</i>	Eur. mer.	1027	(<i>Lanius erythrogaster. Rüpp.</i>)		
minor. <i>Gmel.</i>	Eur. mer. et med.	142	æthiopicus. (<i>Shaw</i>)	ibid.	149
strigatus. <i>Eyt.</i>	Ind. orient.	150	virgatus. (<i>Tem.</i>)	Java	814
collaris. <i>Gmel.</i>	Afr. austr.	148	CRATICUS. Viell.		
(COLLURIO. Briss.)			cinereus. (<i>Gould</i>)	N. Holland.	371
collurio. <i>L.</i>	Eur. temp. et m.	624	Trib. IV. Conirostres.		
rufus. <i>Briss.</i>	ibid.	143	Fam. I. CORVIDÆ		
pyrrhonotus. <i>Viell.</i>	Ind. orient.	145	(<i>G. Corvus. L.</i>)		
vittatus. <i>Valenc.</i>	ibid.	147	STREPERA. Less.		
jeracopis. <i>De Fil.</i> (16)	ibid.	1028	{ graculina. (<i>White.</i>)	N. Holland.	464
FALCUNCULUS. Viell.			(<i>Gracula strepera. Shaw</i>)		
frontatus. (<i>Lath.</i>)	N. Holland.	1116	LOPHOCITTA. G. R. Gray		
CYCLORHIS. Swains.			galericulata. (<i>Cuv.</i>)	Java - Sumatra	451
gujanensis. (<i>Gmel.</i>)	Amer. mer.	128	GARRULUS. Briss.²		
CROCIAS. Tem.			glandarius. (<i>L.</i>)	Europa	} 453
guttatus. <i>Tem.</i>	Ind. orient.	823	id. — var. ? (18)	?	
			bispecularis. <i>Vig.</i>	Ind. orient.	1014
			lanceolatus. <i>Vig.</i>	ibid.	171

	Patria	Num. in Catal.		Patria	Num. in Catal.
CYANOCORAX. Boie.			PTILORIS. Swains.		
cristatus. (L.)	Amer. sept.	461	paradisea. Swains.	N. Galles austr.	746
Bullockii. (Wagl.)	Mexicum	576	magnifica.	N. Guinea	470
azureus. (Tem.)	Brasilia	477	(Falcinellus magnificus. Viell.)		
melanocyaneus. Hartl.	Perù	1017	PAROTIA. Viell.		
cyanopogon. (Pr. Max.)	Brasilia	460	sexsetacea. (Lath.)	N. Guin.	744
pileatus. (Tem.)	ibid.	1032	SELEUCIDES. Less.		
cayanus. (L.)	Guyana	456	albus. (Blum.)	N. Guin.	468
PSILORHINUS. Rüpp.			(Falcinellus resplendescens. Viell.)		
erythrorhynchus. (Viell.)	Ind. or. China	1033	PARADISEA. L.		
(Cuculus sinensis. Lin.)			major. Shaw	N. Guin.	466
olivaceus. (Lath.)	Ind. or. N. Holl.	459	minor. Shaw	ibid.	1030
Pica gularis. Wagl.)			rubra. Viell.	ibid.	1031
CRYPsirina. Viell.			CICINNURUS. Viell.		
varians. (Lath.)	Java	489	regius. (L.)	N. Guin.	467
CALLEAS. Forst.			DIPHYLLODES. Less.		
cinerea. Forst.	N. Seeland.	463	magnificus. Gmel.	N. Guin.	469
PTILOSTOMUS. Swains.			STURNIDÆ		
senegalensis. (L.)	Afr. austr.	457	(G. Sturnus et Oriolus part. L.)		
DENDROCITTA. Gould			PTILONORHYNCHUS. Kuhl.		
chinensis. I. E. Gray	Ind. orient.	458	holosericus. Tem.	N. Galles. mer.	462
occipitalis. (Müll.)	ibid.	742	albirostris. Rüpp.	Afr. austr.	1036
PICA. Briss.			LAMPROTORNIS. Tem.		
melanoleuca. Viell.	Europa As. sept.	491	cantor. (Gmel.)	Ind. orient.	488
id. var. indica			leucogaster. (Gmel.)	Afr. austr.	487
(Pica bottanensis. Deless?)			nitens. (Gmel.)	ibid.	1065
NUCIFRAGA. Briss.			dominicanus. Tem.	Ind. orient.	765
caryocatactes. (L.)	Eur. sep. et med.	1034	(SPREO. Less.)		
hemispila. Gould	Ind. orient.	564	rufiventris. Rüpp.	Afr. austr.	486
CORVUS. Lin.			morio. (Gmel.)	ibid.	1064
corax. L.	Eur. As. bor.	857	JUIDA. Less.		
corone. L.	ibid.	492	ænea. (Gmel.)	Afr. austr.	1066
scapulatus. Daud.	Africa	476	MINO. Less.		
frugilegus. L.	Europa	1035	calvus. (L.)	Philipp. Insul.	1061
cornix. L.	ibid.	471			
monedula. L.	ibid.	465			
PYRRHOCORAX. Viell.					
alpinus. Viell.	Eur. mer.	210			
FREGILUS. Cuv.					
graculus. (L.)	Eur. As. sept.	473			

	Patria	Num. in Catal.		Patria	Num. in Catal.
MAINATUS. Briss.			CHRYSOMUS. Swains.		
javanus. <i>Less.</i>	Java	482	icterocephalus. (<i>L.</i>)	Brasil. Cajen.	1048
(<i>Gracula religiosa. L.</i>)			frontalis. (<i>Viell.</i>)	ibid.	485
sumatranus. <i>Less.</i>	Sumatra	472	AGELAIUS. Viell.		
(<i>Gracula religiosa. var. β L.</i>)			phænicæus. (<i>L.</i>)	Amer. sept.	1044
BUPHAGA. Lin.			curæus. (<i>Gmel.</i>)	Brasilia	1046
africana. <i>L.</i>	Afr. austr.	481	(<i>Icterus sulcirostris. Spix.</i>)		
erythrorhyncha. <i>Tem.</i>	Afr. sept. et or.	1067	guirahuro. <i>Viell.</i>	ibid.	1045
PASTOR. Tem.			(<i>Oriolus viridis. Gmel.</i>)		
roseus. (<i>L.</i>)	Eur. mer.	1060	militaris. (<i>L.</i>)	ibid.	1047
cristatella. (<i>L.</i>)	Java - China	1059	MOLOTHRUS. Swains.		
pagodarum. (<i>L.</i>)	Ind. orient.	1057	pecoris. (<i>Gmel.</i>)	Amer. sept.	1042
Jalla. <i>Horsf.</i>	Java	1058	bonariensis. (<i>Gmel.</i>)	Amer. mer.	1043
tricolor. <i>Horsf.</i>	ibid.	788	DOLICHONYX. Swains.		
CREADION. Viell.			oryzivora. (<i>L.</i>)	Amer. sept.	396
pharoides. <i>Viell.</i>	N. Seeland.	924	FRINGILLIDÆ		
STURNUS. Lin.			(<i>G. Fringilla: Emberiza: Loxia:</i>		
vulgaris. <i>L.</i>	Europa	1063	et <i>Tanagra. L.</i>)		
unicolor. (<i>La Marm.</i>)	Sardinia. N. Afr.	1062	PLOCEUS. Cuv.		
STURNELLA. Viell.			philippinus. (<i>L.</i>)	Ind. orient.	406
militaris. (<i>L.</i>)	Paraguay	1055	afer. (<i>Gmel.</i>)	Afr. austr.	639
bellicosa. <i>De Fil. (19)</i>	Amer. trop. occ.	494	capensis. (<i>L.</i>)	ibid.	427
ludoviciana. (<i>L.</i>)	Amer. sept. et m.	1056	oryx. (<i>L.</i>)	ibid.	441
QUISCALUS. Viell.			flavicollis. (<i>Fras.</i>)?	Ind. orient.	1070
versicolor. <i>Viell.</i>	Amer. mer.	484	sanguinirostris. (<i>L.</i>)	Afr. austr.	667
CASSICUS. Briss.			(<i>HYPHANTORNIS. G. R. Gray</i>)		
hæmorrhous. (<i>L.</i>)	Brasil. Cajen.	1054	textor. (<i>Gmel.</i>)	ibid.	543
luteus. (<i>Briss.</i>)	ibid.	1053	gutturalis. (<i>Vig.</i>)	ibid.	640
viridis. <i>Viell.</i>	ibid.	1051	(<i>SYCOBIUS. Viell.</i>)		
cristatus. (<i>L.</i>)	ibid.	493	bicolor. <i>Viell.</i>	ibid.	641
albirostris. <i>Viell.</i>	Paraguay	1052	CARDINALIS. Bonap.		
ater. <i>Viell.</i>	ibid.	490	virginianus. <i>Bp.</i>	Amer. sept.	417
XANTHORUS. Briss.			COCCOTHAUSTES. Briss.		
cayanensis. (<i>L.</i>)	Brasil. Cajen.	1039	vulgaris. <i>Ray</i>	Europa	428
tibialis. <i>Swains?</i>	ibid.	1040	GUIRACA. Swains.		
chrysocarpus. <i>Vig.?</i>	ibid.	1041	cærulea. (<i>L.</i>)	Amer. sept.	446
dominicensis. (<i>L.</i>)	S. Domin. insul.	592			
aurantius. <i>Wagl. (Hahn)</i>	Cajenna	534			
(<i>Oriolus icterus. Auct.</i>)					
ICTERUS. Briss.					
mexicanus. (<i>L.</i>)	Amer. tropic.	1050			
xanthornus. (<i>L.</i>)	Amer. mer.	1049			

	Patria	Num. in Catal.		Patria	Num. in Catal.
VIDUA. Cuv.			RAMPHOPIS. Viell.		
serena. (L.)	Africa	391	jacapa. (L.)	Brasilia	354
paradisæa. (L.)	ibid.	382	brasilia. (L.)	ibid.	355
CATAMBYRHYNCHUS. La Fresn.			dimidiatus. <i>La Fresn.</i>	Amer. trop.	356
diadema. <i>La Fresn.</i>	Amer. trop. occ.	885	PYRANGA. Viell.		
EMBERYZOIDES. Tem.			rubra. (L.)	Amer. sept.	347
macroura. (Gmel.)	Brasilia	384	LANIO. Viell.		
PIPILO. Viell.			atricapillus. (Gmel.)	Cajenna	155
erythrophthalmos. (L.)	Amer. sept.	357	NEMOSIA. Viell.		
ARREMON. Viell.			pileata. (Gmel.)	Amer. mer.	594
torquatus. <i>Viell.</i>	Amer. mer.	1115	gularis. (L.)	ibid.	331
silens. (Lath.)	ibid.	1124	flavicollis. <i>Viell.</i>	ibid.	333
platensis. (Gmel.)	ibid.	392	nigricollis. (Gmel.)	ibid.	619
CISSOPIS. Viell.			(Sylvia guira. <i>Lath.</i>)		
Leverianus. (Shaw)	Brasilia	431	ruficapilla.	ibid.	289
PITYLUS. Cuv.			(Sylvia ruficapilla. <i>Viell.</i>)		
canadensis. (L.)	Amer. sept.	418	(CYPSNAGRA. Less.)		
cyaneus. (Gmel.)	Amer. mer.	413	ruficollis. (Licht.)	ibid.	618
torridus. (L.)	ibid.	425	TACHYPHONUS. Viell.		
TANAGRA. Lin.			coryphæus. (Licht.)	Brasilia	649
episcopus. L.	Brasilia	335	Suchii. Swains.	ibid.	360
archiepiscopus. (Desm.)	ibid.	337	cristatus. (L.)	ibid.	362
glauca. <i>Sparrm.</i>	ibid.	653	cristatellus. (Spix)	ibid.	363
(T. celestis. <i>Spix</i>)			AGLAIA. Swains.		
melanopis. <i>Lath.</i>	ibid.	462	elegans. (Pr. Max.)	Brasil. Cajen.	647
striata. <i>Gmel.</i>	Paraguay	482	Schrankii. (Spix)	ibid.	646
montana. <i>D'Orb. et La Fresn.</i>	Bolivia	1026	thoracica. (Tcm)	ibid.	648
eximia. <i>Boiss.</i>	ibid.	912	tricolor. (Gmel.)	ibid.	334
(STEPHANOPHORUS. Strickl.)			festiva. (Shaw)	ibid.	342
diademata. <i>Natter.</i>	Brasilia	348	gyrola. (L.)	ibid.	339
(PROCNOPIS. Cabanis)			punctata. (L.)	ibid.	345
vittata. <i>Tem.</i>	ibid.	332	cayana. (L.)	ibid.	343
SALTATOR. Viell.			mexicana. (L.)	Antillæ	336
magnum. (L.)	Brasil. Cajen.	350	albiventris. <i>Gray</i>	Brasilia	340
virescens. <i>Viell.</i>	ibid.	351	tatao. (L.)	ibid.	341
psittacinus. (Spix)	ibid.	352	flava. (Lath.)	ibid.	344
rubicus. <i>Viell.</i>	Bolivia	359	(TANAGRELLA. Swains.)		
			velia. (L.)	ibid.	338

	Patria	Num. in Catal.		Patria	Num. in Catal.
EUPHONIA. Desm.			CHLOROSPIZA. Bonap.		
musica. (Gmel)	Antillæ	302	chloris. (L.)	Europa	402
chlorotica. (L.)	ibid.	630	incerta. (Risso)	Eur. mer.	632
violacea. (L.)	Brasilia	328	PASSER. Briss.		
rufiventris. Viell.	ibid.	329	{ domesticus. (L.)	Eur. bor. et med.	432
tephrocephala. Viell.	ibid.	330	id. var. cisalpinus.	Italia	1075
			id. var. hispaniolensis.	Hisp. Ins. med.	606
ESTRELLA. Swains.			montanus. (L.)	Europa	1076
astrild. (L.)	Afr. austr.	1077	petronia. (L.)	Eur. mer.	429
amandava. (L.)	Ind. orient.	436	arcuatus. (Gmel.)	Afr. mer.	415
bengalus. (L.)	Afr. occid.	435	Swainsonii. f. (Rüpp).	ibid.	416
nitens. (L.)	Afr. austr.	437	monticola. (Briss.)	ibid.	471
sublava. Viell.	ibid.	1078	socialis. (Wils.)	ibid.	467
			(ZONOTRICHIA. Swains)		
fasciata. (L.)	Afr. austr.	438	albicollis. (Gmel.)	Amer. sept.	439
{ erythrocephala. Viell.	ibid.	1068	{ matutinus. Licht.	Amer. mer.	383
(Loxia brasiliana. Gm.)			Fringilla matutina. Viell.		
Lathamii. Gould	N. Holland.	828	PAROARIA. Bonap.		
annulosa. Gould	ibid.	1069	cucullata. (Lath.)	Amer. trop.	652
oryzivora. (L.)	Java	433	FRINGILLA. Lin.		
punctularia. (L.)	Ind. orient.	444	coelebs. L.	Eur. As. occid.	430
cantans. (L.)	Afr. austr.	440	montifringilla. L.	ibid.	423
atricapilla. (Viell.)	Ind. orient.	443	nivalis. L.	Alp. Europ.	599
striata. (L.)	ibid.	445	PASSERINA. Viell.		
molucca. (L.)	ibid.	442	ciris. (Gmel.)	Amer. sept.	422
ERYTHRURA. Swains.			EUSPIZA. Bonap.		
prasinata. (Sparrm.)	Java	419	melanocephala. (Scop.)	Eur. merid.	312
PYTELIA. Swains.			americana. (L.)	Amer. mer.	390
elegans. (Gmel.)	Afr. austr.	1071	cristata. (Vig.)	Ind. orient.	542
CARDUELIS. Briss.			GUBERNATRIX. Less.		
{ elegans. Steph.	Eur. As. occ.	404	cristatella. (Viell.)	Amer. mer.	370
(Fringilla carduelis. L.)			EMBERIZA. Lin.		
citrinella. (L.)	Eur. mer.	405	citrinella. L.	Europa	1074
spinus. (L.)	Europa	1079	circus. L.	Eur. m. As. occ.	377
brasiliensis. (Spix)	Amer. mer.	412	hortulana. L.	ibid.	373
magellanica. (Viell.)	ibid.	411	cia. L.	Eur. mer.	376
(SERINUS. Brehm)			pithyornus. Pall.	Sibiria. Eur. oc.	631
serinus. (L.)	Europa	421	schoeniculus. L.	Eur. As. occ.	375
LINARIA. Briss.			{ pyrrhuloides. Pallas.	Eur. mer.	374
{ rubra. Steph.	Eur. As. sept.	393	(E. palustris. Gari)		
(Fr. linaria. L.)			fucata. Pall.	Asia. Eur. mer.	381
cannabina. (L.)	Eur. As. occ.	388	miliaria. L.	Europa	378
flaviostris. (L.) f.	Eur. sept.	395			

	Patria	Num. in Catal.		Patria	Num. in Catal.
PLECTROPHANES. Meyer			LOXIA. Lin.		
nivalis. (L.)	Europa bor.	379	curvirostra. L.	Eur. sept. et m.	414
lapponicus. (L.)	ibid.	380	pytiopsittacus. Bechst.	ibid.	629
PYRRHULAUDA. Smith			bifasciata. Brehm	Eur. bor.	681
leucotis. (Stanl.)	Afr. austr.	449	PHYTOTOMA. Molina		
CERTHILAUDA. Swains.			rutila. Viell.	Amer. mer.	426
} desertorum. (Stanl.)	Afr. Eur. mer.	365	Fam. V. MUSOPHAGIDÆ		
} (Alauda bifasciata, Licht.)			(G. Colius, Cuculus part. L. Gmel.)		
MIRAFRA. Horsf.			COLIUS. Briss.		
} deserti. (Licht.)	Eur. m. Ægypt.	597	senegalensis. Gmel.	Afr. austr.	447
} (Alauda isabellina, Tem.)			striatus. Gmel.	ibid.	448
MACRONYX. Swains.			TURACUS. Cuv.		
capensis. (L.)	Afr. austr.	366	} albocristatus. Strickl.	Afr. austr.	1081
MELANOCORYPHA. Boie			} (Spelectos corythaix, Wagl.)		
calandra. (L.)	Eur. m. Afr. sep.	368	porphyreolophus. (Vig.)	ibid.	747
OTOCORIS. Bonap.			MUSOPHAGA. Isert.		
alpestris. L.	Eur. or. As. occ.	355	violacea. Is.	Afr. austr.	606
ALAUDA. Lin.			CHIZÆRIS. Wagl.		
arvensis. L.	Eur. Afr. sept.		africanus. (Lath.)	Afr. austr.	1080
cristata. L.	As. occid.	369	zonurus. (Rüpp.)	ibid.	565
arborea. L.	ibid.	367	Fam. VI. BUCERIDÆ		
brachydactyla. Tem.	Eur. As. occid.	1073	(G. Buceros, L.)		
	Eur. m. Af. sept.	364	coronatus. Shaw	Africa	464
ERYTHRINA. Brehm.			plicatus. Lath.	ibid.	479
} rubrifrons. Br.	Eur. or. Sibir.	401	malabaricus. Gmel.	Ind. orient.	779
} (Loxia erythrina, Pall.)			lunatus. Tem.	ibid.	771
(STROBILOPHAGA. Viell.)			cristatus. Rüpp. non Viell.	Afr. (Abyssin.)	578
enucleator. (L.) m. f.	Reg. boreal.	420	(TOCRUS. Less.)		
PYRRHULA. Moehr.			erythrorhynchus. Briss.	Africa	475
vulgaris. Tem. m. f.	Europa	400	nasutus. Lath.	ibid.	478
SPERMOPHILA. Swains.					
nigra. (L.)	Amer. mer.	645			
minuta. (L.)	ibid.	394			
lincola. (L.)	ibid.	397			
albocollaris. (Less.)	ibid.	399			
cinereola. Tem.	ibid.	1072			

	Patria	Num. in Catal.		Patria	Num. in Catal.
Ordo III. SCANSORES			PALÆORNIS. Vig.		
Fam. I. RAMPHASTIDÆ			<p>pondicerianus. (L.) Ind. orient. 901</p> <p>torquatus. (L.) ibid. 902</p> <p>Alexandri. f. (Gmel.) ibid. 903</p> <p>Sonnerati? (Gmel.) ibid. 904</p>		
(G. <i>Ramphastos</i> . L.)			EUPHEMA. Wagl.		
RAMPHASTOS. L.			<p>pulchella. (Lath.) N. Holland. 891</p> <p>venusta. (Tem.) ibid. 890</p> <p>discolor. (Shaw) ibid. 1012</p>		
<p>erythrorhynchus. L. Brasil. Guyan. 1084</p> <p>dicolorus. L. ibid. 1082</p> <p>vitellinus. L. ibid. 1083</p>			(MELOPSITTACUS. Gould)		
PTEROGLOSSUS. Illig.			undulata. (Shaw) ibid. 889		
<p>aracari. L. Brasil. Guyan. 1085</p> <p>viridis. L. m. f. ibid. 1087</p> <p>nigrirostris. Wather. ? 1088</p> <p>maculirostris. Cuv. Brasil. Guyan. 1089</p> <p>Baillonii. (Viell.) ibid. 1090</p> <p>piperivorus. (L.) m. f. ibid. 1091</p>			ARA. Briss.		
AULACORHYNCHUS. Gould			<p>Macao. (L.) Antillæ 873</p> <p>Illigeri. (Tem.) Brasil. Parag. 872</p>		
<p>sulcatus. (Swains.) Perù 1093</p> <p>cæruleicinctus. Tschud. ibid. 1092</p> <p>albivitta. Boiss. Bolivia 1086</p>			CONURUS. Kohl.		
Fam. II. PSITTACIDÆ			<p>gujanensis. (Gmel. non Kuhl.) Brasil. Guian. 882</p> <p>Wagleri. G. R. Gray ibid? 1117</p> <p>patagonus. (Viell.) Chili 881</p> <p>auricapillus. Illig. Brasilia 880</p> <p>squamosus. (Lath. non Kuhl.) ibid. 879</p> <p>aureus. (Gmel.) ibid. 876</p> <p>virescens. (Gmel.) ibid. 877</p> <p>carolinensis. (L.) Amer. sept. 875</p> <p>murinus. (L.) Brasilia 878</p> <p>vittatus. (Shaw) ibid. 884</p> <p>versicolor. (Gmel.) ibid. 883</p> <p>pertinax. (L.) ibid. 866</p> <p>rufirostris. (Illig.) ibid. 874</p>		
GORACOPSIS. Wagl.			(ENICOGNATHUS. G. R. Gray)		
nigra. (L.) Madagascar 735			leptorynchus. (King) Chili 567		
PLATYCERCUS. Vig.			LORIUS. Briss.		
<p>scapulatus. (Bechst.) N. Holland. 894</p> <p>pacificus. (L.) N. Seeland. 893</p> <p>auriceps. Vig. ibid. 892</p> <p>(Psitt. pacificus var. β. Gmel.)</p> <p>Pennantii. (Shaw) N. Holland. 729</p> <p>eximius. (Shaw) ibid. 737</p> <p>Baueri. Tem. ibid. 1118</p> <p>flaveolus. Gould ibid. 1184</p> <p>Adelaidæ. Gould ibid. 1185</p>			(ECLECTUS. Wagl.)		
NYMPHICUS. Wagl.			<p>grandis. (L.) Zeylona 680</p>		
<p>Novæ Hollandiæ. (L.) N. Holland. 498</p> <p>m. et f.</p>			CORIPHILUS. Wagl.		
PEZOPORUS. Illig.			<p>fringillaceus. (Gmel.) N. Holland. 893</p> <p>taitianus. Gmel. ibid. 1013</p> <p>Swainsonii. (Jardine) (20) ibid. 899</p> <p>(Psittacus hæmatodus. Gmel.)</p>		
formosus. (Lath.) N. Holland. 736					

	Patria	Num. in Catal.		Patria	Num. in Catal.
TRICHOGLOSSUS. Vigors.			PICIDÆ		
<i>concinus. (Shaw)</i>	N. Holland.	897	(G. <i>Picus</i> et <i>Bucco</i> , L.)		
<i>pusillus. (Lath.)</i>	ibid.	738	LAIMODON. G. R. Gray		
DEROPTYUS. Wagl.			{ <i>dubius. (Gmel.)</i>	Barbar. Seneg.	1167
<i>accipitrinus. (L.)</i>	Cajenna	860	(<i>Pogonia sulcirostris. Leach.</i>)		
PSITTACUS. Lin.			<i>hæmatops. (Wagl.)</i>	Sierra Leona	1169
<i>pulverulentus. L.</i>	Brasil. Guian.	28	<i>Vielloti. (Leach)</i>	Senegal	1166
<i>amazonicus. L.</i>	ibid.	864	BUCCO. Lin.		
<i>vinaceus. Pr. Max.</i>	ibid.	865	<i>corvinus. Tem.</i>	Java	1156
{ <i>leucocephalus. Gmel.</i>	ibid.	866	<i>chrysopogon. Tem.</i>	Sumatra	1170
<i>id. — var. β. Gmel.</i>	ibid.	866	<i>kotorea. Le Vaill.</i>	Afr. austr.	1162
<i>menstruus. L.</i>	ibid.	867	<i>Fichtelii. Lath.</i>	Insul. Sond.	767
<i>purpureus. L.</i>	ibid.	868	<i>mystacophanos. Tem.</i>	Java	1159
(Pionts. Wagl.)			<i>cyanicollis. Viell.</i>	Ind. orient.	1168
<i>senegalus. L.</i>	Senegal	862	<i>armillaris. Tem.</i>	Ceylan	1161
(CAICAS. Less.)			<i>philippensis. Gmel.</i>	Philipp. insul.	1158
<i>mitratus. Pr. Max.</i>	Brasilia	859	<i>roseicollis. Le Vaill.</i>	Insul. Sond.	643
<i>Barabandii. Le Vail.</i>	ibid.	568	<i>australis. Horsf.</i>	ibid.	790
<i>surdus. Illig.</i>	ibid.	863	<i>Duvaucelii. Less.</i>	Sumatra	1160
JACO. Less.			(BARBATULA. Less.)		
<i>erythacus. L.</i>	Afr. occid.	861	<i>parvus. Cuv. (Less.) non</i>		
PSITTACULA. Briss.			<i>Gmel.</i>	Afr. austr.	1157
<i>galgula. (L.)</i>	Ind. orient.	896	CAPITO. Viell.		
<i>vernalis. (Gmel.)</i>	Insul. Sond.	895	<i>cayanensis. (Briss.)</i>	Cajenna	1171
<i>pullaria. (L.)</i>	Afr. occid.	751	MICROPOGON. Tem.		
<i>passerina. (L.)</i>	Brasilia	750	<i>margaritatus. Tem.</i>	Afr. med.	1165
CACATUA. Briss.			PICUMNUS. Tem.		
<i>sulphurea. (Gmel.)</i>	Moluc. Philipp.	870	{ <i>minutissimus. (Gmel.)</i>	Cajenna	588
CALYPTORHYNCHUS. Vig. et Horsf.			(<i>P. cayanensis. La Fresn.</i>)		
<i>funereus. (Shaw)</i>	N. Holland.	871	<i>Buffonii. La Fresn.</i>	ibid.	622
<i>Cookii. (Tem.)</i>	ibid.	731	YUNX. Lin.		
(CALLOCEPHALON. Less.)			<i>torquilla. L.</i>	Europa	1172
<i>galeatum. Lath. f.</i>	ibid.	556	SASIA. Hodgs.		
NESTOR. Wagl.			<i>abnormis. (Tem.)</i>	Insul. Sond.	827
<i>hypopolius. (Forst.)</i>	N. Seeland.	869	PICUS. Lin.		
			<i>major. L. m. et f.</i>	Europa	808
			<i>leuconotus. Wolf. et Mey.</i>	Europ. orient.	615
			<i>medius. L.</i>	Europa	811
			<i>Macci. Wagl.</i>	Insul. Sond.	812
			<i>hyperythrus. Vig.</i>	Ind. orient.	544
			<i>biarmicus. Cuv.</i>	Afr. mer.	813

	Patria	Num. in Catal.		Patria	Num. in Catal.
(<i>DRYOCOPUS</i> . Boie)			<i>TIGA</i> . Kaup.		
<i>martius</i> . <i>L.</i>	Europa	610	<i>tridactyla</i> . (<i>Swains.</i>) m. et f.	Java	792
<i>lineatus</i> . <i>L.</i> m. et f.	Amer. mer.	814	<i>COLAPTES</i> . Swains.		
<i>leucogaster</i> . <i>Tem.</i>	Insul. Sond.	815	<i>auratus</i> . (<i>L.</i>)	Amer. sept.	796
(<i>CAMPEPHILUS</i> . G. R. Gray)			<i>elegans</i> . (<i>Fras.</i>)	Bolivia	797
<i>validus</i> . <i>Reinw.</i> f.	Java	816	<i>CUCULIDÆ</i>		
<i>robustus</i> . <i>Licht.</i>	Amer. mer.	817	(<i>G. Cuculus</i> . <i>L.</i>)		
<i>PICOIDES</i> . Lacép.			<i>CENTROPUS</i> . Illig.		
<i>tridactylus</i> . (<i>L.</i>) m. et f.	Europ. media.	809	<i>philippensis</i> . <i>Cuv.</i>	Ind. orient.	1136
<i>HEMICERCUS</i> . Swains.			<i>bicolor</i> . (<i>Viell.</i>)	Afr. austr.	1137
<i>concretus</i> . (<i>Reinw.</i>)	Java	791	<i>ægyptius</i> . (<i>Gmel.</i>)	Ægypt. Abyssin.	1134
<i>DENDROBATES</i> . Swains.			<i>superciliosus</i> . <i>Rüpp.</i>	ibid.	1135
<i>passerinus</i> . (<i>L.</i>) m. et f.	Amer. mer.	801	<i>PIAYA</i> . Less.		
<i>caniceps</i> . (<i>Wagl.</i>) f.	Afr. mer.	803	<i>cayana</i> . (<i>L.</i>)	Brasil. Cajen.	1126
<i>icterocephalus</i> . (<i>Lath.</i>)	Amer. mer.	803	<i>COCCYZUS</i> . Viell.		
m. et f.			<i>americanus</i> . (<i>L.</i>)	Amer. sept.	612
<i>DENDROMUS</i> . Swains.			<i>melacoryphus</i> . <i>Viell.</i>	Amer. mer.	1146
<i>melanochloros</i> . (<i>L.</i>)	Amer. mer.	798	<i>seniculus</i> . (<i>Lath.</i>)	ibid.	1145
<i>rubiginosus</i> . (<i>Swains.</i>)	ibid.	799	<i>DIPLOPTERUS</i> . Boie		
<i>brachyurus</i> . (<i>Viell.</i>)	Sumat. Java	800	<i>nævius</i> . (<i>L.</i>)	Brasil. Guyan.	1140
<i>notatus</i> . (<i>Licht.</i>)	Afr. mer.	807	<i>GUIRA</i> . Less.		
<i>BRACHYLOPHUS</i> . (<i>Swains.</i>) Strickl.			<i>pirigua</i> . (<i>Viell.</i>)	Brasilia	1149
<i>miniatus</i> . (<i>Forst.</i>)	Ins. Sond.	805	<i>GROTOPHAGA</i> . Lin.		
<i>puniceus</i> . <i>Horsf.</i> m. et f.	ibid.	804	<i>major</i> . <i>L.</i>	Brasil. Guyan.	1141
<i>gularis</i> . (<i>Tem.</i>)	Java	806	<i>ani</i> . <i>L.</i>	ibid.	1142
<i>MELANERPES</i> . Swains.			<i>sulcirostris</i> . <i>Leibl.</i>	Perù	1143
<i>melanopogon</i> . (<i>Licht.</i>)	Mexicum	518	<i>ZANCLOSTOMUS</i> . Swains.		
<i>ischnorhynchus</i> . (<i>Wagl.</i>)	Brasilia	795	<i>javanicus</i> . (<i>Horsf.</i>)	Java	1131
<i>flavifrons</i> . (<i>Viell.</i>) m. et f.	ibid.	533	<i>PHOENICOPHAUS</i> . Viell.		
<i>erythrocephalus</i> . (<i>L.</i>)	Amer. sept.	1138	<i>melanognathus</i> . <i>Horsf.</i>	Java	1132
<i>CENTURUS</i> . Swains.			<i>sumatranus</i> . (<i>Raffl.</i>)	Sumatra	1133
<i>carolinus</i> . (<i>L.</i>)	Amer. sept.	1139	(<i>Melias tristis</i> . <i>Less.</i>)		
<i>CELEUS</i> . Boie.			<i>RHINORTHA</i> . Vig.		
<i>flavescens</i> . (<i>L.</i>) m. et f.	Amer. mer.	810	<i>chlorophoca</i> . (<i>Raffl.</i>)	Sumatra	1127
<i>GECINUS</i> . Boie			m. - <i>Bubutus Isidori</i> . <i>Less.</i>		
<i>viridis</i> . (<i>L.</i>)	Europa	793	f. - <i>B.</i> - <i>Duvancellii</i> . <i>Less.</i>		
<i>canus</i> . (<i>Gmel.</i>) f.	Eur. orient. med.	616			
<i>dimidiatus</i> . (<i>Tem.</i>)	Ins. Sond.	794			

	Patria	Num. in Catal.		Patria	Num. in Catal.
SCYTHROPS. Lath.			PTILINOPUS. Swains.		
novæ Hollandiæ. <i>Lath.</i>	N. Holland.	1154	{ roseicollis. (<i>Wagl.</i>) (<i>Columba porphyrea</i>) <i>Reinv.</i> non aliorum	Insul. Sond.	832
EUDYNAMYS. Vig. et Horsf.					
{ orientalis. (<i>L.</i>) f. - (<i>Cuculus scolopaceus Gm.</i>) m. juv. - (<i>C. — punctatus Gm.</i>) tahitiensis. <i>L.</i>	Ind. orient.	1129	melanocephalus. (<i>Forst.</i>)	Java	831
	N. Seeland.	1130	CARPOPHAGA. Selby		
				ænea. (<i>Lath.</i>)	Java
OXYLOPHUS. Swains.			spadicea. (<i>Lath.</i>)	N. Seeland.	527
{ ater. (<i>Gmel.</i>) f. (<i>Cuculus melanoleucos. Auct.</i>) glandarius. (<i>L.</i>)	Afr. aus. Ind. or.	1147	magnifica. (<i>Tem.</i>)	N. Holland.	842
	Afr. sep. Eur. m.	1148	lacernulata. (<i>Tem.</i>)	Insul. Sond.	840
				COLUMBA. Lin.	
CUCULUS. Lin.			palumbus. <i>L.</i>	Europa	847
{ canorus. <i>L.</i> m. ad juv. (<i>Cuculus hepaticus. Lath.</i>) solitarius. <i>Viell.</i> cineraceus. <i>Vig. et Horsf.?</i> Sonneratii. <i>Lath.</i> tenuirostris. <i>I. E. Gray</i> (<i>TURNICULUS. Less.</i>) flavus. <i>L.</i> f. lugubris. <i>Horsf.</i>	Europa	1151	ænas. <i>L.</i>	ibid.	852
	Afr. mer.	1153	livia. <i>L.</i>	Europ. mer.	851
	Ind. orient.	1152	guinea. <i>L.</i>	Afr. mer.	853
	ibid.	1150	speciosa. <i>Gmel.</i>	Amer. mer.	850
	ibid.	676	LOPHOLAIMUS. G. R. Gray		
			antarcticus. (<i>Shaw</i>)	N. Holland.	566
			PERISTERA. Swains.		
			jamaicensis. (<i>Tem.</i>)	Amer. mer.	845
		castanea. (<i>Wagl.</i>)	Martinica	846	
		afra. (<i>L.</i>)	Afr. mer.	844	
		erythrauchen. (<i>Wagl.</i>)	N. Holland.	572	
CHRYSOCOCCYX. Boie			MACROPYGIA. Swains.		
cupreus. (<i>Lath.</i>) m. f.	Cap. Bonæ spei	605	amboinensis. (<i>L.</i>)	Insul. Sond.	855
auratus. (<i>L.</i>)	ibid.	642	ruficeps. (<i>Tem.</i>)	ibid.	856
chalcites. (<i>Illig.</i>)	N. Holland.	1125	OENA. Selby		
lucidus. (<i>L.</i>)	ibid.	602	capensis. (<i>L.</i>)	Afr. austr.	849
Ordo IV. COLUMBÆ			CHAMOEPELIA. Swains.		
Fam. COLUMBIDÆ			passerina. <i>L.</i>	America	848
(G. <i>Columba. L.</i>)			TURTUR. Selby		
TRERON. Viell.			senegalensis. (<i>L.</i>)	Africa	531
			Dussumierii. (<i>Tem.</i>)	Ind. orient.	525
			risorius. (<i>L.</i>)	Africa	854
			(var. <i>A. Wagl.</i>)		
aromatica. (<i>Gmel.</i>)	Java	836	tigrinus. <i>Tem.</i>	Ind. orient.	526
militaris. (<i>Tem.</i>) f.	Ind. orient.	838	id. var. ()	ibid.	
vernans. (<i>L.</i>) m. et f.	Insul. Sond.	837	CHALCOPHAPS. Gould		
oxyura. (<i>Tem.</i>)	ibid.	835	superciliaris. (<i>Wagl.</i>)	Ind. orient.	843
sphenura. <i>Vig.</i>	Ind. orient.	495			
abyssinica (<i>Lath.</i>) m. et f.	Afr. austr.	839			

	Patria	Nom. in Catal.		Patria	Nom. in Catal.
PHAPS. Selby			EUPLOCOMUS. Tem.		
elegans. (Tem.)	Austral.	670	nyctemerus. (L.)	China	1163
			albocristatus. (Vig.)	Himalaya	585
Ordo V. GALLINÆ			ALECTROPHASIS. G. R. Gray		
Fam. I. CRACIDÆ			erythrophthalmos.		
(G. Crax. L.)			I. E. Gray	Ind. orient.	557
ORTALIDA. Merr.			GALLUS. Lin.		
guttata. (Spix)	Brasilia	1216	Bankiva. Tem. m. et f.	Java - Sumatra	560
			Sonneratii. Tem.	Ind. orient.	1201
PENELOPE. Merr.			SATYRA. Less.		
cristata. Lath.	Brasil. Guyan.	686	Hastingsii. (Vig.)	Himalaya	558
vetula. Wagl.	ibid.	581	m. et f.		
CRAX. Lin.			NUMIDA. Lin.		
lector. L.	Cajenna	1217	melcagris. L.	Afr. sep. (in Eur. domest.)	665
			id. var.	Ex insula Java	
Fam. II. MEGAPODIDÆ (21)			LOPHOPHORUS. Tem.		
MEGAPODIUS. Quoy et Gaym.			Impeyanus. (Lath.)	Himalaya	559
Freycineti. Q. et Gaym.	N. Holland.	1199	m. et f.		
MENURA. Dav.			TETRAOGALLUS. I. E. Gray		
lyra. Shaw	Amboina	573	Nigellii. I. E. Gray	Himalaya	1215
MEGALONYX. Less.			PUCRASIA. G. R. Gray		
rufus. Less.	Chili	1318	macrolopha. (Less.) m. et f.	Himalaya	587
Fam. III. PHASIANIDÆ			Fam. IV. TETRAONIDÆ		
(G. Pavo et Phasianus. L.)			(G. Tetrao. L.)		
POLYPECTRON. Tem.			FRANCOLINUS. Briss.		
chinquis. Tem.	Asia mer. orien.	1200	{ vulgaris. Steph.	Eur. mer. As. oc.	577
PAYO. Lin.			{ Tetrao francolinus. L.		
cristatus. L.	Ind. orient.	1144	pondicerianus. (Gmel.)	Ind. orient.	1025
ARGUS. Tem.			PLECTROPHORUS. I. E. Gray		
giganteus. Tem. m. et f.	Ind. orient.	1198	spadiceus. (Lath.)	Ind. orient.	677
PHASIANUS. Lin.			CHACURA. Hodgs.		
colchicus. L. m. et f.	Reg. circa mar.		græca. (L.)	Eur. mer.	1210
hybr. phas. colch.	Casp. in Eur.		rubra. (Briss.)	ibid.	1209
et torquati.	cæter. transl.	1020	petrosa. (Lath.)	ibid.	1211
Stacci. Vig. m. et f.	Himalaya	586	chucar. I. E. Gray	Himalaya	582

	Patria	Num. in Catal.		Patria	Num. in Catal.
PERDIX. Briss.			Fam. V. CHIONIDÆ		
cinerea. (L.)	Europa	1212	Fam. VI. TINAMIDÆ		
torqucola. <i>Valenc.</i>	Ind. orient.	1023	(G. <i>Tetrao</i> part. L.)		
(LERWA. Hodgs.)			TURNIX. Bonat.		
lerwa. <i>Hodgs.</i>	Himalaya	575	gibraltarius. (Gm.)	Eur. mer.	580
COTURNIX. Tem.			pugnax. (Tem.)	Ins. Sond.	777
dactylisonans. <i>Mey.</i>	Europa - Afr.	1205	TINAMUS. Lath.		
australis. (Lath.)	N. Gall. merid.	1206	brasiliensis. Lath.	Brasilia	1218
ventralis. (<i>Valenc.</i>)	Senegal	1207	NOTHURA. Wagl.		
} chinensis. (Lath.)	China	1204	maculosa. (Tem.)	Brasil. Parag.	1219
} C. exaltatoria. Tem.					
ORTYX. Steph.			Ordo VI. STRUTHIONES		
Sonninii. Tem.	Amer. mer.	1208	Fam. I. STRUTHIONIDÆ		
noxenus. <i>Vig.</i>	ibid.	1114	(G. <i>Struthio</i> et <i>Otis</i> . L.)		
leucotis. <i>Gould</i>	Bolivia	748	OTIS. Lin.		
CRYPTONYX. Tem.			tarda. L.	Eur. mer.	1286
cristatus. (Gmel.)	Ind. orient.	1203	tetrax. L.	Eur. m. Af. sept.	1226
m. et f.			afra. Lath.	Afr. austr.	1234
TETRAO. Lin.			(CHLAMYDOTIS. Less.)		
urogallus. L.	Eur. sep. et med.	1220	houbara. Gmel.	Afr. sept.	1225
(LYRURUS. Swains.)			Ordo VII. GRALLÆ		
tetric. L. m. et f.	ibid.	1221	Fam. I. CHARADRIDÆ		
BONASA. Briss.			(G. <i>Charadrius</i> et <i>Hæmatopus</i> . L.)		
} sylvestris. (<i>Brehm</i>)	Eur. sep. et med.	1213	ÆDICNEMUS. Tem.		
} Tetrao bonasia. L.	Amer. sept.	1214	crepitans. Tem.	Eur. med. et mer.	1196
umbellus. (L.)			CURSORIUS. Lath.		
LAGOPUS. Briss.			asiaticus. Lath.	Ind. orient.	1182
} mutus. <i>Leach.</i>	Europa	1202	isabellinus. (<i>Meyer</i>)	Eur. mer. Af. sept.	1181
} Tetrao lagopus. L.			PLUVIANUS. Viell.		
} hab. æst. et hyem.			ægyptius. (L.)	Afr. sept.	1180
PTEROCLES. Tem.			GLAREOLA. Briss.		
alchata. (L.) m. et f.	Eur. mer.	1223	pratincola. (L.)	Europa	1287
exustus. Tem.	Ægypt. Seneg.	1222	orientalis. <i>Leach.</i>	Ind. orient.	778
gularis. <i>Smith.</i> m. et f.	Afr. austr.	1024			
coronatus. <i>Licht. f.</i>	Nubia	1224			
quadricinctus. Tem.	Senegambia	464			

	Patria	Num. in Catal.		Patria	Num. in Catal.
VANELLUS. Lin.			BALEARICA. Briss.		
cristatus. <i>Meyer</i>	Europa	1176	pavonina. (<i>L.</i>)	Afr. merid.	1258
cayanensis. (<i>L.</i>)	Brasil. Parag.	1179	ARDEA. Lin.		
(<i>PHILOMACHUS. Moer.</i>)			cinerea. <i>L.</i>	Eur. As. Afr.	1241
spinosus. (<i>L.</i>)	Af. sep. Eur. mer.	1178	purpurea. <i>L.</i>	Eur. med. et mer.	1240
coronatus. (<i>Gmel.</i>)	Afr. austr.	1177	cocoi. <i>L.</i>	Brasil. Parag.	1228
(<i>LOBIVANELLUS. Strickl.</i>)			Agami. <i>L.</i>	Brasil. Cajen.	965
lobatus. (<i>Lath.</i>)	N. Holland.	1175	Novæ Hollandiæ. <i>Lath.</i>	N. Holland. Java	967
goensis. (<i>Gmel.</i>)	Ind. orient.	1174	nigra. <i>Viell.</i>	Bengala Java	1255
CHARADRIUS. Lin.			(<i>ARDEOLA. Bonap.</i>)		
pluvialis. <i>L.</i>	Europa	1187	minuta. <i>L.</i>	Eur. As. Afr.	1256
xanthocheilus. <i>Wagl.</i>	N. Seeland.	503	HERODIAS. Boie		
obscurus. <i>Gmel.</i>	ibid.	682	garzetta. (<i>L.</i>)	Eur. mer. As. oc.	673
(<i>SQUATAROLA. Cuv.</i>)			egretta. (<i>Gmel.</i>)	Brasil. Guian.	1239
{ hypomelas. <i>Pall.</i>	Europa sept.	1197	candidissima. (<i>Gmel.</i>)	Parag. Bras. Jam.	1248
{ (<i>Tringa helvetica. Gmel.</i>)			(<i>BUPHUS. Boie</i>)		
EUDROMIAS. Boie			speciosa. <i>Horsf.</i>	Java	1396
morinellus. (<i>L.</i>)	Europa	1183	russata. (<i>Wagl.</i>)	Ind. orient.	966
australis. <i>Gould</i>	Austr. mer.	1186	{ bubuleus. (<i>Cuv.</i>)	Eur. mer. Ægypt.	1285
ÆGIALITES. Boie			{ <i>Ardea Verany. Roux</i>		
hiaticula. <i>L.</i>	Europa	1192	ralloides. (<i>Scop.</i>)	Eur. mer. As. oc.	1254
minor. <i>My.</i>	ibid.	1191	BOTAURUS. Steph.		
collaris. <i>Viell.</i>	Brasil. Parag.	1188	stellaris. (<i>L.</i>)	Europa	1242
pecuarius. <i>Tem.</i>	Afr. austr.	1193	virescens. (<i>L.</i>)	Amer. trop.	1249
cantianus. <i>Lath.</i>	Europa	1189	scapularis. (<i>Illig.</i>)	ibid; et Java?	1250
STREPSILAS. Illig.			NYCTICORAX. Steph.		
interpres. <i>Illig.</i>	Region. univer. præsert. Eur. et Amer. sept.	1195	Gardeni. (<i>Gmel.</i>)	Europa	1253
HÆMATOPUS. Lin.			cayanensis. (<i>L.</i>)	Guian. Antill.	1252
ostralegus. <i>L.</i>	Europa	1190	caledonica. (<i>Gmel.</i>)	N. Holland.	1251
Fam. II. ARDEIDÆ			SCOPUS. Briss.		
(<i>G. Psophia, Ardea, Ciconia</i>			umbretta. <i>Gmel.</i>	Senegal	1247
et <i>Tantalus. L.</i>)			CANCROMA. Lin.		
PSOPHIA. Lin.			cochlearia. <i>L.</i>	Cajenna	579
crepitans. <i>L.</i>	Guiana	969	PLATALEA. Lin.		
			leucorodia. <i>L.</i>	Eur. med. et mer.	590
			chlororhynchos. <i>Drap.</i>	Afr. aust. Ind. or.	638
			ajaja. <i>L.</i>	Brasil. Parag.	1232
			PHOENICOPTERUS.		
			ruber. <i>L.</i>	Eur. mer. Af. sep.	1245
			minor. <i>Geoffr.</i>	Afr. austr.	1015

	Patria	Num. in Catal.		Patria	Num. in Catal.
ANASTOMUS. Bonn.			LIMOSA. Briss.		
lamelligerus. <i>Tem.</i>	Afr. austr.	1257	melanura. <i>Leisl.</i>	Eur. sep. et med.	505
CICONIA. Lin.			rufa. <i>Briss.</i>	Europa	1119
alba. <i>L.</i>	Eur. Afr. As. oc.	1246	id. var. brevirostris. (22)		
maguari. (<i>Lath.</i>)	Brasil. Parag.	1244	TOTANUS. Bechst.		
(SPHEMORHYNCHUS. Hemp. et Ehrem.)			glottis. (<i>L.</i>)	Eur. Afr. sept.	1275
Abdimi. <i>Licht.</i>	Ægypt. Seneg.	1243	stagnatilis. <i>Bechst.</i>	ibid.	1276
LEPTOPTILOS. Less.			fuscus. (<i>L.</i>)	ibid.	1274
capillata. (<i>Tem.</i>)	Java	562	calidris. (<i>L.</i>)	Eur. Sibir.	1272
TANTALUS. Lin.			glareola. (<i>L.</i>)	Eur. Sib. Af. sep.	1273
leucocephalus. <i>Forst.</i>	Bengala	1232	ochropus. (<i>L.</i>)	ibid.	1277
ibis. <i>L.</i>	Ægypt. Seneg.	1227	natator. <i>Viell.</i>	Paraguay	1173
lacteus. <i>Tem.</i>	Java Sumatra	1019	semipalmatus. (<i>Gmel.</i>)	Amer. sept.	1400
IBIS. Lacép.			(TEREBIA. Bonap.)		
religiosa. <i>Cuv.</i>	Ægypt. Seneg.	1229	terek. (<i>Lath.</i>)	Reg. circa. Mar. Casp. Ind. or.	1128
PHIMOSUS. Wagl.			(ACTITIS. Illig.)		
infuscatus. <i>Licht.</i>	Brasil. Parag.	1231	hypoleucos. (<i>L.</i>)	Eur. Afr. sept.	668
THERISTICUS. Wagl.			RECURVIOSTRA. Lin.		
melanopis. (<i>Forst.</i>)	Brasil. Parag.	1238	avocetta. <i>L.</i>	Eur. Afr. sept.	1282
cerulescens. (<i>Viell.</i>)	ibid.	1229	HIMANTOPUS. Briss.		
chalcopterus. (<i>Viell.</i>)	Senegambia	1236	vulgaris. <i>Bechst.</i>	Eur. Afr. sept.	683
TANTALIDES. Wagl.			nigricollis. <i>Viell.</i>	Amer. sept.	1194
falcinellus. (<i>L.</i>)	Eur. Af. sep. As.	1235	TRINGA. Lin.		
ruber. (<i>L.</i>)	Brasil. Cajen.	1237	{ canutus. <i>L.</i>	Amer. Europ.	
ARAMUS. Viell.			adult. hab. æst.	præser. sept.	506
scolopaceus. (<i>Gmel.</i>)	Brasil. Guian.	968	(<i>Tringa ferruginea. Mey.</i>)		
FALC. III. SCOLOPACIDÆ			juv. (<i>T. islandica. Gmel.</i>)		
(<i>G. Scolopax, Tringa</i>			subarquata. (<i>Gülden.</i>)	ibid.	1263
et <i>Recurvirostra. L.</i>)			cinclus. <i>L.</i>	ibid.	504
NUMENIUS. Lath.			Bonapartei. <i>Schleg.</i>	Amer. sept.	679
phæopus. (<i>L.</i>)	Europa	1281	platyrhyncha. <i>Tem.</i>	Eur. mer. Ind. or.	591
arquatus. (<i>L.</i>)	ibid.	1284	minuta. <i>Leisler</i>	Eu. As. præser. sep.	1264
tenuirostris. <i>Viell.</i>	Ital. mer. Ægypt.	1283	Temminckii. <i>Leisler</i>	Eur. mer.	1265
			(CALIDRIS. Cuv.)		
			arenaria. <i>L.</i>	Eur. Afr. sept.	1278
			MACHETES. Cuv.		
			pugnax. (<i>L.</i>) cum. var.	Eur. As. sept. et med.	678
			SCOLOPAX. Lin.		
			rusticola. <i>L.</i>	Eu. As. præser. sep.	1266
			minor. <i>L.</i>	Amer. sept.	1397

	Patria	Num. in Catal.		Patria	Num. in Catal.
MACRORAMPHUS. Leach			(PORZANA. Viell.)		
griseus.	Amer. sept.	1399	philippensis. <i>Lath.</i>	Ind. orient.	1294
GALLINAGO. Steph.			porzana. <i>L.</i>	Europa	508
major. (<i>L.</i>)	Eu. As. præsep.	1267	ruginosus. (<i>Lath.</i>)	Java	1299
scolopacina. (<i>Bonap.</i>)	ibid.	1268	pusillus. <i>Gmel.</i>	Eur. med. et m.	1298
stenura. (<i>Tem.</i>)	Java	758	Baillonii. <i>Viell.</i>	ibid.	834
gallinula. (<i>L.</i>)	Europa	1269	(CREX. Bechst.)		
RHYNCHAEA. Viell.			crex. <i>L.</i>	Europa	1291
{ capensis. <i>L.</i>	Ind. orient.	1271	GALLINULA. Briss.		
{ id. var. (<i>R. variegata. Viet.</i>)			chloropus. <i>L.</i>	Eur. As. usq. ad	
Hilairea. <i>Valenc.</i>	Brasilia	1270	orientalis. <i>Horsf.</i>	ins. Java	1295
PHALAROPUS. Briss.			phænicura. (<i>Penn.</i>)	Java	1296
fulcarius. (<i>L.</i>)	Eur. Amer. sept.	1280		ibid.	1292
(LOBIPES. Cuv.)			PORPHYRIO. Briss.		
hyperboreus. (<i>L.</i>)	ibid.	1279	jacinthinus. <i>Tem.</i>	Eur. mer.	1261
			smaragdinus. <i>Tem.</i>	Ind. orient.	1260
			martinica. (<i>L.</i>)	Amer. tropic.	1259
Fam. IV. PALAMEDEIDÆ			FULICA. Lin.		
(<i>G. Parra et Palamedea. L.</i>)			atra. <i>L.</i>	Eur. As. Afr.	1297
PARRA. Lin.			HELIORNIS. Bonn.		
jacana. (<i>L.</i>)	Brasilia.	1289	surinamensis. <i>Gmel.</i>	Cajen. Surin.	972
HYDRALECTOR. Wagl.					
gallinaceus. (<i>Tem.</i>)	Ind. orient.	905	Ordo VIII. ANSERES		
HYDROPHASIANUS. Wagl.					
sinensis. (<i>Gmel.</i>)	China. Ins. Sond.	1288	Fam. I. ANATIDÆ		
METOPIDIUS. Wagl.			(<i>G. Anas et Mergus. L.</i>)		
æneus. <i>Cuv.</i>	Java	1287	CHENALOPEX. Steph.		
africanus. (<i>Gmel.</i>)	Afr. austr.	971	ægyptiaca. (<i>L.</i>)	Africa	1342
CHAUNA. Illig.			SARKIDIORNIS. Eyt.		
chavaria. (<i>L.</i>)	Brasil. Parag.	970	{ regia. <i>Eyt.</i>	Afr. austr.	1304
			{ Anser melanotos. <i>Penn.</i>		
Fam. V. RALLIDÆ			ANSER. Lin.		
(<i>G. Rallus et Fulica. L.</i>)					
RALLUS. Lin.			segetum. <i>Gmel.</i>	Eur. sept.	1347
aquaticus. <i>L.</i>	Europa	500	cinereus. <i>Mey. et Wolf.</i>	ibid.	1348
bicolor. <i>Cuv.</i>	Brasilia	1290	albifrons. <i>Gmel.</i>	ibid.	1346
gigas. (<i>Spix</i>)	ibid.	1293			

	Patria	Num. in Catal.		Patria	Num. in Catal.
BERNICLA. Steph.			SOMATERIA. Leach		
brenta. <i>Steph.</i>	Reg. boreal.	1343	mollissima. <i>L.</i> m. et f.	Reg. boreal.	1325
leucopsis. (<i>Bechst.</i>)	ibid.	1344	spectabilis. <i>L.</i> m. et f.	ibid.	1326
CYGNUS. Lin.			FULIGULA. Steph.		
olor. (<i>Gmel.</i>)	Eur. sept.	1341	{ cristata. <i>Steph.</i> (<i>Anas fuligula. L.</i>)	Eur. sept.	1329
musicus. <i>Bechst.</i>	ibid.	1340		ibid.	1332
nigricollis. (<i>Gmel.</i>)	Parag. Chili	1305	marila. (<i>L.</i>) m. et f.	ibid.	1330
coscoroba. (<i>Mol.</i>)	ibid.	1306	ferina. (<i>L.</i>)	ibid.	1328
DENDROCYGNA. Swains.			nyroca. (<i>Güldenst.</i>)	ibid.	1327
autumnalis. (<i>L.</i>)	Cajenna	1316	metopias. (<i>Pæppig</i>)	Paraguay	1327
viduata. (<i>L.</i>)	ibid.	1315	(<i>BRANTA. Boie</i>)		
arcuata. (<i>Horsf.</i>)	Java	1314	rufina. <i>Pall.</i>	Eur. or. mer.	1331
TADORNA. Leach			CLANGULA. Flem.		
vulpanser. <i>Flem.</i>	Eur. præser. or.	1323	glaucioni. (<i>L.</i>)	Eur. sept.	1338
CASARCA. Bonap.			histrionica. (<i>L.</i>)	Reg. arct.	1337
tadornoides. (<i>Jard.</i>)	N. Holland.	1336	albeola. (<i>L.</i>)	Amer. sept.	1401
ANAS. Lin.			HARELDA. Leach		
boschas. <i>L.</i> m. et f.	Eur. bor. et med.	1333	glacialis. (<i>L.</i>)	Reg. boreal.	502
strepera. <i>L.</i>	ibid.	1335	ERISMATURA. Bonap.		
penelope. <i>L.</i>	ibid.	1334	leucocephala. <i>Scop.</i>	Eur. mcr.	1312
{ punctata. <i>Cuv.</i> (<i>Mareca castanea. Eyt.</i>)	Java	1398	MERGUS. Lin.		
DAFILA. Leach			serrator. <i>L.</i>	Eur. et Am. sep.	1350
acuta. (<i>L.</i>)	Eur. As. temp.	1319	merganser. <i>L.</i>	Eur. sept.	1349
bahamensis. (<i>L.</i>)	Bras. Ins. Baham.	1315	MERGELLUS. Selby		
QUERQUEDULA. Steph.			albellus. (<i>L.</i>)	Reg. sept.	1351
crecca. (<i>L.</i>)	Eur. As. et Af. se.	1320	Fam. II. COLYMBIDÆ		
ipeccuturi. (<i>Vieill.</i>)	Brasilia	1321	(<i>G. Colymbus. L.</i>)		
(PTEROCYANEA. Bonap.)			COLYMBUS. Lin.		
circia. (<i>L.</i>)	Eur. Sib. Af. sep.	1322	arcticus. <i>L.</i>	Eur. sept.	1379
SPATULA. Boie			glacialis. <i>L.</i>	ibid.	1307
clypeata. (<i>L.</i>)	Eur. sep. et med.	1339	septentrionalis. <i>L.</i>	ibid.	1301
CAIRINA. Flem.			PODICEPS. Lath.		
moschata. (<i>L.</i>)			cayennensis. (<i>Gmel.</i>)	Brasil. Cajen.	1376
{ fera	Paraguay	{ 1317	cristatus. (<i>L.</i>)	Eur. As. Am. sep.	1311
domestica	Europa		rubricollis. <i>Lath.</i>	ibid.	574
OIDEMIA. Flem.			cornutus. <i>Lath.</i>	Eur. temper.	1377
fusca. (<i>L.</i>)	Eur. et Am. sep.	1324	auritus. <i>Lath.</i>	Eur. Sib. Am. se.	1309
			minor. <i>Lath.</i>	Europa	1378
			dominicanus. (<i>L.</i>)	Cajen. Surin.	1308

	Patria	Num. in Catal.		Patria	Num. in Catal.
Fam. III. ALCIDÆ			LARUS. Lin.		
(G. <i>Alca</i> et <i>Colymbus</i> part. L.)			<i>marinus. L.</i>	Eur. sep. et med.	1360
UTAMANIA. Leach			<i>fuscus. L.</i>	ibid.	1361
<i>torda. L.</i>	Reg. arct.	496	<i>leucopterus. Fab.</i>	Am. et Eur. bor.	960
FRATERCULA. Briss.			<i>argentatus. Brünn.</i>	Eur. et As. sept.	1363
<i>arctica. (L.)</i>	Reg. boreal.	1310	<i>Audouinii. Payr.</i>	Mediterr.	961
SPHENISCUS. Briss.			<i>canus. L.</i>	Europa	1364
<i>demersus. (L.)</i>	Afr. austr.	1381	(CHROICOCEPHALUS. Eyt.)		
<i>magellanicus. (Gmel.)</i>	Ter. Magel.	1380	<i>melanocephalus. Natt.</i>	Mediterr.	1366
<i>minor. Tem.</i>	N. Holland.	1300	<i>ridibundus. L.</i>	Eur. med. et mer.	1362
URIA. Briss.			<i>cirrhocephalus. Viell.</i>	Amer. mer.	964
<i>Brünnichii. Sab.</i>	Reg. arct.	509	<i>scopulinus. Forst.</i>	N. Holland.	963
<i>troile. Tem.</i>	ibid.	497	<i>minutus. Pall.</i>	Eur. orient.	1365
<i>grylle. (L.)</i>	ibid.	1392	RISSA. Leach		
MERGULUS. Viell.			<i>tridactyla. (L.)</i>	Reg. boreal.	1369
<i>alle. L.</i>	Reg. boreal.	1391	STERNA. Lin.		
Fam. IV. PROCELLARIDÆ			<i>caspia. Pall.</i>	Eur. mer.	1374
(G. <i>Procellaria</i> et <i>Diomedea</i> part. L.)			<i>cantiaca. Gmel.</i>	Eur. Af. N. Amer.	962
PROCELLARIA. Lin.			<i>anglica. Mont.</i>	Eur. Afr.	1375
<i>capensis. L.</i>	Cap. B. Sp.	1303	<i>fuliginosa. Gmel.</i>	Ocean. atlant.	672
PUFFINUS. Briss.			<i>hirundo. L.</i>	Eur. As. Am. sep.	1368
<i>cinereus. Tem.</i>	Mediterr.	1387	<i>arctica. Tem.</i>	Reg. sept.	1373
<i>anglorum. Tem.</i>	Eur. boreal.	1388	(PHÆTUSA. Wagl.)		
<i>æquinoctialis. (Gmel.)</i>	Cap. B. Sp.	1302	<i>magnirostris. Licht.</i>	Brasil. Cajen.	1367
THALASSIDROMA. Vig.			(VIRALVA. Leach)		
<i>Wilsonii. Bonap.</i>	Ocean. Atlant.	1389	<i>nigra. L.</i>	Eur. As. temp.	1370
<i>Leachii. Tem.</i>	ibid.	1390	<i>leucoptera. Tem.</i>	Eur. mer.	1371
DIOMEDEA. Lin.			ANOUS. Leach.		
<i>melanophrys. Tem.</i>	Afr. austr.	1345	<i>stolidus. (L.)</i>	Emisph. boreal.	1356
<i>spadicea. Gmel.</i>	Ind. orient.	1016	<i>leucocapillus. Gould</i>	N. Holland.	1355
Fam. V. LARIDÆ			RHYNCHOPS. Lin.		
(G. <i>Larus</i> , <i>Rhynchops</i> et <i>Sterna</i> L.)			<i>nigra. L.</i>	Am. trop. et mer.	501
STERCORARIUS. Briss.			<i>id. juv. (R. brevirostris. Spix)</i>		
<i>pomarinus. Tem.</i>	Eur. sept.	1359	<i>flavirostris. Viell.</i>	Africa	1354
<i>parasiticus. (Brünn.)</i>	ibid.	1357	Fam. VI. PELECANIDÆ		
<i>cephus. (Brünn.)</i>	ibid.	1358	(G. <i>Plotus</i> , <i>Phæton</i> et <i>Pelecanus</i> L.)		
			PLOTUS. Lin.		
			<i>Le Vaillantii. Tem.</i>	Afr. Ind. orient.	1386
			PHÆTON. Lin.		
			<i>phænicurus. L.</i>	Ocean. pacif.	1384
			<i>æthereus. L.</i>	Ocean. atlant.	1385

	Patria	Num. in Catal.		Patria	Num. in Catal.
SULA. Briss.			PHALACROCORAX. Briss.		
bassana. (L.)	Reg. septent.	1383	carbo. (L.)	Eur.As. Am. sep.	1395
{ fusca. Viell.	Brasilis	1382	cristatus. (Fabr.)	Eur. sept.	589
{ id. f. (S. brasiliensis. Spix)			punctatus. (Gmel.)	N. Seeland.	1394
piscator. (L.) (23)	Ocean. indian.	1018	melanoleucos. (Viell.)	N. Holland.	750
PELECANUS. Lin.			{ pygmaeus (Pall.)	Eur. orient. As.	1262
crispus. Bruch.	Eur. mer. or.	1352	{ id. juv. (Carbo javanicus. Horsf.)		
{ fuscus. L. juv.	Amer. mer.	1353	TACHYPETES. Viell.		
{ (P. carolinensis. Gmel.)			{ aquilus. (L.) m.	Mar. interrop.	1393
			{ id. f. (Pelecanus leucocephalus. L.)		

ANIMADVERTIONES

1. CERYLE ALCYON. Lin. — Torque pectorali griseo cæruleo. An varietas Carolinae peculiaris?
2. ALCEDO AMERICANA. Gm. — Area rufa pectorali nulla; fæm. juxta Gmelin. (*Alcedo cayennensis* Viell. non Gmel.)
3. DACNIS CAYANUS. (L.) — *D. angelica* De Fil. (Atti della sesta riunione degli scienziati italiani) species eliminanda. A *D. cayano* differt tantum statura aliquantulum majore, et coloribus vividioribus.
4. SALICARIA ITALICA. De Fil. — Hucusque cum *Sylvia hippolaide* confusa, a clar. March. Durazzo autem (Guida di Genova e della Liguria, Vol. I pag. 177) cum *Ficedula ambigua* Schleg. At sane et constanter distinguitur ex comparatione sequenti.

<i>S. italica</i>	<i>S. hippolais</i>	<i>F. ambigua</i> (juxta Schlegel)
Long. tot. 5 poll. 6 lin.	4 poll. 6 lin.	5 poll. 4 lin.
— tarsi. 10 lin.		
— alarum. 2 poll. 10 lin.	2 poll. 6 lin.	2 poll. 6 lin.
Remex prima longiori alarum tectrici proximæ coequalis	2 lin. longior.	lin. 1 $\frac{3}{4}$ ad 2 $\frac{1}{2}$ brevior
— secunda sextam 3 lin. superat	coæquat	coæquat.
— quinta secunda brevior	longior.	longior.

Rostrum corneum; ad basim amplius quam in *S. hippolaide*.

Pedes plumbei, ungues pallide corneæ.

Supra olivaceo cinascenti, loris, exigua striga superciliari, nec non partibus inferioribus usque ad crissi finem, pallide sulphureis; pectore et lateribus non nihil olivascenti lavatis. Cauda paululum furcata.

F. ambigua Schleg. (*Sylvia elaeica* Lindm.) juxta descriptiones clar. Schlegel (Revue critique des Oiseaux d'Europe) et clar. Lindermayer (Isis 1843, p. 342) distinguitur colore partium super.

magis in griseum vergente; flavido terreo, non sulphurescenti partium infer.; et tectricibus caudæ infer. totis albis non flavis. Juxta de Homeyer (Isis IX. 1846) hæc species *Salicariæ palustri* propinque accedit; nostra e contra *S. hippolaidi*.

Habitat (nidificat?) non infrequens æstivo tempore in Italia superiori, etiam prope Mediolanum.

5. **PANDICILLA FAMILIARIS.** Hanc speciem una cum valde adfini *Sylvia galactode* (forsan juxta clar. De Homayer non disjungendæ), non rite inter *Salicarias* Schlegel recensuit. Habitu, colorum distributione, nec non moribus, potius in systemate prope *S. Suecicam* auct. ponenda.
6. **FORMICIVORA GENEI.** De Fil. — Pileo, lineaque per oculos transeunte, postice dilatata nigris; linea superciliari usque ad nucham protensa, albida; gula, collo antico, postico, et laterali, albescenti et nigro crebre longitudinaliter maculatis; maculis istis in pectore, ventreque medio, transversalibus. Tectricibus alarum nigris, albo terminatis. Dorsum postico, crisso, ventricibus, remigibusque tertiariis, nec non aliarum pogonio externo, rubiginosis. Cauda valde gradata; rectrice utraque subts macula indistincta nigrescenti, subapicali. Rostrum corneum; pedes grisescentes.
7. **TURDUS OLIVACEUS.** Lath. — Plurima specimina hujus speciei Africæ australis incolæ, mense octobris anno 1843, in oppido Polavine, Brixia non procul, capta fuerunt, quorum duo in Mus. Mediol. adservantur.
8. **GARRULAX VITTATUS.** De Fil. — Supra cum cauda plumbeus, subts pallidior, rufescenti leviter tinctus. Capite supra purpurascenti rubro, plumis nonnullis in fronte rigidiusculis, albis. Abdomine medio crissoque ferrugineis. Remigibus primariis nisi apicem versus, pogonio externo albo, qui color vittam longitudinalem alarum efformat. Rostrum flavorubidum. Pedes sturnini, flavi.
9. **PACHYRAMPHUS DIMIDIATUS.** De Fil. — Supra nigro chalibæus, subts albus; fascia scapulari alba, rectricibus dorso concoloribus extimis tantum extremo apice macula alba præditis. Magnitudo *Pach. marginati*.
10. **COPURUS LEUCOCILLA.** (Hahn) — Forsan duo species sub hoc nomine habentur, præter *Cop. leuconotum*, Fras. Specimina vidi, staturæ minoris quam in typicis, rostro e contra majore.
11. **HELIOCHERA.** De Fil. (sept. 1846). **CARPORNIS.** G. R. Gray (Decemb. 1846).
Rostrum arcuatum, capite brevius, basi ampla, culmine rotundato, mesorhinio elevato, in fronte anguloso. Nares oblongæ in medio longitudinis maxillæ, prope margines, setis nonnullis obtectæ.
Ptilosis mollis, sublaxa.
Remiges 3.^a et 4.^a longiores 1.^a et 2.^a versus apicem intus emarginatæ.
Cauda recta, æqualis.
12. **EUCHLORNIS.** De Fil.
Rostrum breve, basi minus ampla quam in gen. *Cotinga*; apice denticulato.
Ptilosis laxa, non squamiformis.
Remiges primores non angustatæ ut in *Cotingis*.
Color viridis in pictura prævalens.
In hoc genere ponendas existimamus. *Amp. arcuatam* La Fresn. *A. aureopectus* ejusdem; et forsam etiam *A. cinctam* Tschudi.
13. **CEBLEPYRIS LUCTUOSUS.** De Fil. — Rostrum valde depressum, nigrum; striga subtilissima frontali, loris, occipite, colloque postico nigerrimis. Capitis parte media anteriore, corporeque toto subts albis; hoc ad latera cinerascenti læviter intermixto. Dorsum cum uropygio plumbeum. Alæ nigre, remigibus secundariis et tectricibus limbo plumbeo; remigum pogonio interno macula alba longitudinali. Cauda longa, valde gradata. Rectricibus mediis nigris, cæteris ad apicem macula magna, longitudinali alba præditis.
14. **GRAUCALUS TORQUATUS.** De Fil. — Ptilosis pictura eadem ac in *Gr. melanope*; at fronte ardesiaca non nigra; ventre crissoque cinereis non albis; torque collari postico nigro; magnitudo *Lani minoris*, non *Garruli glandarii*.
15. **LANIUS EXCUBITOR.** var. partibus inferioribus totis, dorso concoloribus. Prope Mediolanum capta.
16. **LANIUS (COLLURIO) JERACOPIS.** De Fil. — Fronte, superciliis, gula, colloque antico albis; vertice canescenti; striga a naribus orta, per oculos ad genas excurrente, nigra. Collo postico, dorso, tectricibusque alarum cinereo rufescentibus. Alæ fusæ; remigibus secundariis, nec non tectricibus rufescenti limbatis. Cauda parum gradata, longa, dorso concolori; rectrices strictæ; laterales tantum, apicem versus margine albescentes. Toto corpore subts, crissoque pallidissime isabellinis.

17. *THAMNOPHILUS JANII*. De Fil. — Supra olivaceo rufescenti; genis griseis; gula pectoreque cinerascenti rufis, hoc colore in rubiginoso ventris, laterum crissique sensim transeunte; tectricibus alarum nigris, albo terminatis. Remigibus fuscis, limbo externo rufescenti. Rectricibus, mediis exceptis, macula alba terminatis; lateralibus alia ante apicem, in pogonio externo. Rostrum, pedesque fusci. Affinis *Tham. axillari* Tschud; differt præsertim mandibula inferiori non albescenti, et linea superciliari nulla.
- Speciem dicamus eximio et benevolissimo Georgio Jan equiti, Musei Mediolanensis Directori.
18. *GARRULUS GLANDARIUS*. var. (an n. sp.?) coloribus quam in individuis typicis obscurioribus; maculis nigris in plumis verticis majoribus; loris nigris. Patria?
19. *STURNELLA BELLICOSA*. De Fil. — *Sturnellæ militari* simillima, sed facile distinguenda tectricibus alarum inferioribus albis non nigris; et remige prima quintam longitudine cœquante (in *St. militari* 3 lin. superante). Huic speciei pertinere *St. militarem* auctorum qui de Fauna Peruana et Boliviana scripserunt, valde suspicamur. Hoc etiam dicendum erit de *Sturno Loyca* Mol. de quo nil clare patet ex descriptione auctorum.
20. *Psittacum hæmatodum*, L. ab auctoribus inter Trichoglossos recensitum, ptilosis caracteribus magis ad *Coryphilos* pertinere nobis videtur.
21. Lesson potius quam clar. G. R. Gray. qui Menuram a Megapodio disjungit, in hac familia constituenda secuti sumus.
22. *LIMOSA RUFA*. var. rostro 6 cent. 4 millim. longo, et ptilosim juvenis induens: ex Ægypto.
23. *Sula fiber*, Gm. forsan huius speciei juvenis

EMENDANDA ED ADDENDA

pag 4 *Ceyx Sonneratii* etc. lege *Ceyx purpurea* (Gmel.) ex Ind. orient.

Jam catalogus iste in lucem traditurus erat, quum nobis fasciculum Decembris anni elapsi, repertorii *Revue Cuvierienne* pervenit, ubi clariss. Gerbe denuo *Sylviam icterinam* Viel. revocans, characteres præbet hujus speciei qui omnimode *Salicariæ italicæ* conferunt. Nos attamen descriptiones *S. icterinæ* juxta Viellot antea ponderavimus, ad comparisonem instituendam cum hac specie nostra, quin characterem aliquum sat clare et tute pro earum identitate, nobis invenire datum fuisse. Quapropter judicio egregii Doct. Schlegel consociati, *S. icterinam* Viel. veluti *trochili* varietatem habemus. March. C. Durazzo e contra illam sat facile distinguendam specificis caracteribus a *trochilo* existimat; (eo magis a *Salicaria italica*). Lis ergo rursum sub judice ponenda.

Mense Martii 1847.

PH. DE FILIPPI

Med. doct. Mus. Mediol. Direct. adjun.

